

University of Huddersfield Repository

Kelly, Martina, Nixon, Lara, McClurg, Caitlin, Scherpbier, Albert, King, Nigel and Dornan, Tim

Experience of touch in health care: a meta-ethnography across the health care professions

Original Citation

Kelly, Martina, Nixon, Lara, McClurg, Caitlin, Scherpbier, Albert, King, Nigel and Dornan, Tim (2017) Experience of touch in health care: a meta-ethnography across the health care professions. Qualitative Health Research. ISSN 1049-7323

This version is available at http://eprints.hud.ac.uk/id/eprint/31939/

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: E.mailbox@hud.ac.uk.

http://eprints.hud.ac.uk/

A 1			
A	he	tra	ct
			V. I.

2 Touch mediates health professionals' interactions with patients. Different professionals have 3 reported their practices but what is currently lacking is a well theorized, interprofessional 4 synthesis. We systematically searched eight databases, identified 41 studies in seven 5 professions (nursing (27), medicine (4), physiotherapy (5), osteopathy (1), counselling (2), 6 psychotherapy (1), dentistry (1)) and completed a metaethnographic line-of-argument 7 synthesis. This found that touch is caring, exercises power, and demands safe space. Different 8 professions express care through the medium of touch in different ways. They all, however, 9 expect to initiate touch rather than for patients to do so. Various practices negotiate 10 boundaries that define safe spaces between healthcare professions and patients. A metaphor -11 the waltz – integrates the practice of touch. Healthcare professionals connect physically with 12 patients in ways that form strong relationships between them whilst 'dance steps' help 13 manage the risk that is inherent in such an intimate form of connection. 14

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

Introduction

Health care professionals touch relative strangers in sometimes intimate ways. They use their hands to examine patients' bodies, bathe them, and give physical comfort. Advocates for touch include patients, whose experiences of clinical care can be enriched by touch and, prominent among the healthcare professions, nurses (Paterson & Dodge, 2012; Johnston, 2014). So strong is nurses' advocacy for touch that they have suggested it be regarded a practice in its own right to safeguard its central place in nursing care (Benner, 2004). Members of other professions have also advocated for the significance of touch. Doctors have expressed concern that healthcare practice is becoming remote from the body (Kelly, Tink, Nixon, Dornan, 2015) and argued that physical examination has an enduring place in medical practice (Verghese, 2009). Physiotherapists (Hargreaves, 1982), occupational therapists (Posthuma, 1985), and osteopaths (Patterson, 2012) have advocated for touch, and even archetypically 'hands-off' professionals like counsellors have debated the role of touch in therapeutic relationships (Phelan, 2009; Westland, 2011). But touch is also problematic. Accusations of impropriety have narrowed the divide between professional and unprofessional touching and technology has challenged the primacy of physical examination as a core clinical skill (Feilchenfeld, Dornan, Whitehead, Kuper, 2017). There is a case for developing a practice of touch and, given the breadth of interest in it, perhaps an interdisciplinary one. The case for including touch in health professions curricula has already been made (Roger et al., 2002; Inoue, Chapman & Wynaden, 2006; Harding, North, & Perkins 2008; Verghese 2009). Specific issues like the need to address the uncertainty and trepidation

students experience when they first touch patients (Tuohy 2003; Grant, Giddings & Beale, 2005) and clinicians' tendency to slip into insensitive ways of touching have been raised (Cocksedge & May, 2009). Researchers have argued that something so contextualized and subtle as touch is best learned in practice (Grant et al., 2005; Verghese 2009) and herein lies another challenge. Whereas the practice of touch has been conceptualized within the bounds of individual professions, today's healthcare delivery by multiprofessional teams and interprofessional education calls for moving towards preparing students for team-based practice. This reinforces the need for an interdisciplinary understanding of touch.

The strength of advocacy for practicing and teaching touch has not been matched by the strength and coherence of empirical research (Gleeson & Timmins, 2005; Cocksedge,

George, Renwick, & Chew-Graham, 2013, Bjorbækmo & Mengshoel, 2016). Nurses have researched touch in greatest depth. There has been observational, descriptive research, which identified the location and frequency of touch, and who initiated it (Ingham, 1989; Bottorff, 1991; Routasalo, 1999). There has been taxonomic research, which distinguished the performance of tasks 'necessary' for the functional care of patients from touch as a nonverbal expression of care, comfort, and empathy (Routasalo, 1999). Another type of touch, 'protective touch', which distances nurses and patients from one another for their mutual safety has also been described (Estabrooks and Morse, 1992). A third approach has been to conceptualize, rather than just describe or categorize touch. Estabrooks and Morse (1992), drawing on work by Weiss (1979) and Pepler (1984), theorized touch as a gestalt with multiple dimensions; a form of connection, alongside presence and listening (Fredrikssen, 1999). Best research effort has not, however, prevented a proliferation of terms that are open to misinterpretation and hinder the development of a coherent body of knowledge. (Gleeson & Timmins, 2005; Routasalo, 1999).

Nursing has not been alone in researching touch. There has been research in medicine (Cocksedge et al., 2013; Cocksedge & May, 2009; Williams, Harricharan, & Sa, 2013), physiotherapy (Bjorbækmo & Mengshoel, 2016; Hiller, Guillemin, & Delany, 2015; Roger et al., 2002), and occupational therapy (Moore, 1991; Posthuma, 1985). Whilst this primary research has broadened the scholarship of touch beyond nursing, it has tended to perpetuate the divide between communicative and procedural touch.

Secondary research is limited. There is one systematic review of early nursing research which focuses on the communicative dimension of touch (Fredrikssen, 1999). Qualitative research synthesis provides ways of transcending definitions, dimensions, and disciplines. It would be appropriate to of advance the interdisciplinary practice and pedagogy of touch by the synthesis of results from primary research across a range of disciplines.

A second, and complementary, way of bringing coherence to such a disparate field is to theorize it (Estabrooks 1992; Fredrikssen 1999). Interpreting how others experience lived experience, or phenomenology, is an established way of knowing. Merleau-Ponty's (1945/2013) concept of the body-subject lends itself well in our interpretation of the scholarship of touch. From Merleau-Ponty's perspective, body and mind coexist. Flesh is the materiality through which humans subjectively experience and come to know the world. This recognition of the embodied nature of human experience challenges the scientific objectivity that may lead clinicians to treat patients' bodies as objects of palpation, cleaning, and suturing. The body-subject concept challenges the way health professionals are taught to focus on the body-object in order to set personal and professional boundaries. The experience of touch can never be wholly objective nor unidirectional. Every time a professional touches a patient, they are themselves touched (Edwards, 1998; Routasalo & Isola, 1996; Tommasini, 1990; Watson, 1975); there is intersubjectivity 'grounded in a mutual receiving' (Fredriksson,

1999). There are disclosive spaces between patients and professionals, where therapeutic relationships take place (Benner, 2004). Phenomenology, provides a holistic perspective that may help explain the essence of touch potentially lost when classified into discrete types.

Our aim was to synthesize a coherent conceptualization of touch across health disciplines that could inform health professional education and support an interdisciplinary praxis of touch. We took a phenomenological stance using meta-ethnography (Noblit & Hare, 1988) to support this interpretivist approach.

Methods

Methodology

Meta-ethnography systematically compares concepts and metaphors in research publications in order to translate their findings into one another and synthesize interpretations that are greater than the sum of their parts. Following the methodology of Noblit and Hare (1988), researchers move from translation of the cases, to translations of the interpretations, and rise to higher levels of abstraction.

In meta-ethnography, metaphors are used as analytic tools. Metaphors are 'figures of speech in which a word or phrase is applied to an object or action to which it is not literally applicable' (Oxford dictionary, 2016). Noblit and Hare (1988) identified five criteria for the adequacy of metaphors: 1) their economy; 2) their cogency; 3) their 'range' or transferability; 4) their ability to illuminate others' experiences; and 5) their 'credibility' or comprehensibility. Metaphors pervade our daily communication to convey complex ideas economically, expressively, and cogently. In doing so, they enable individuals and communities to transfer thought and understanding from one situation to another. Metaphors portray complex realities (Miles & Huberman, 1994), illuminate aspects of phenomena not

previously noticed (Lakoff & Johnson, 2008), and deepen understanding (Kangas, Warren, & Byrne, 1998). Metaphors are useful tools to interpret data (Patton, 1990), and have been used during research in education (Dexter & LaMagdeleine, 2002); organizational change (Manning, 1979) and medicine (Aita, McIlvain, Susman, & Crabtree, 2003). Analysis of metaphors is compatible with phenomenological inquiry because of the rich insights metaphors provide into lived experiences of others (Fairclough, 1989). Whilst metaphors are valuable interpretive aids, they are open to multiple meanings, which vary across contexts and situations.

Identification of relevant studies

Martina and Caitlin, a research librarian, conducted a preliminary comprehensive search in Medline, refined it, and ran it across eight databases: MEDLINE, Embase, Allied and Complementary Medicine, PsycInfo, CINAHL Plus with Full Text, Psychology and Behavioral Sciences Collection, Web of Science and Scopus from inception to April 2013 initially and repeatedly between April 2013 and May 2016. They combined medical subject heading (MeSH) keywords and the text words 'touch', 'nonverbal communication', 'personal space', 'relationship' and by profession, nurse, physician, therapist, and counsellor (see Appendix 1 for search terms). They searched grey literature using: Summon; Open Grey; Proquest Open; Proquest Dissertations and Theses Full Text; PQTD Open; and Literature, Medicine, Medical Humanities: An MLA Commons site. They scrutinized reference lists to identify additional original research, and contacted current researchers, and authors of highly cited studies from different disciplines, to ensure they missed no publications. Relevant studies published in non-English language studies were translated from German, French, Portuguese, Dutch, and Chinese. Martina and Lara independently identified relevant articles

135 by reviewing citations, abstracts, and full texts. Discrepancies were discussed and inclusion 136 was decided by consensus with Tim. 137 138 **Inclusion & Exclusion criteria** 139 The review included qualitative studies on touch in adult patients within healthcare 140 professions from all years and in any language. The focus was 'everyday touch' - "the pat on 141 the hand, squeeze of the fingers or an arm around the shoulder" (Posthuma, 1985, p 189). 142 The review excluded studies that involved patients: 143 With impaired verbal skills (unconscious and/or in intensive care units, and people with 144 intellectual disability, including end-stage dementia) given that these deficits 145 fundamentally change communication. 146 With impaired vision or hearing on the grounds that touch would be used to compensate 147 for sensory deficits. 148 Studies on touch perception (mechanoreceptor responses and brain responses) and the 149 physiology of touch were excluded, as were studies on therapeutic touch (defined by MeSH) 150 because this differs conceptually from physical touch (Chang, 2001). In keeping with the 151 meta-ethnographic tradition, the review included qualitative studies across a range of 152 methodologies. We aimed to integrate the richness of studies from different philosophic 153 traditions in order to capture the phenomenon of touch as a whole. 154 155

Quality Appraisal

156

157

158

Two researchers independently assessed the quality of papers using the Critical Appraisal Skills Programme (CASP) Qualitative Checklist (CASP, 2014) (Appendix 2).

Papers with stronger methodologies were given higher priority in the synthesis; however, no papers were excluded on quality grounds.

Data extraction

A data extraction form was developed, piloted, and modified. The final form included study characteristics (e.g. year of publication, country where research was conducted, sample size, and setting), aims, methodology, methods (Table 1), and findings. Two team members independently read each article, extracted first order constructs (respondents' quotations), second order constructs (authors' interpretations) (Britten et al., 2002; Malpass et al., 2009) and metaphors (Sandelowski, Docherty, & Emden, 1997). They proposed higher level themes or concepts as third order constructs (Britten et al., 2002; Malpass et al., 2009). They agreed on the constructs to include in the synthesis, retaining contextual richness by tagging them with original quotations.

Study translation and synthesis

Following data extraction, our interpretations of study findings were translated into each other. Given the large number of studies, we started by examining research within a given healthcare profession. Studies that involved patients were also examined as a group (indicated in Table 1). Adopting this approach to translation enabled us to see the phenomena of touch from different perspectives.

Within individual professions

Table 1 groups the publications by profession. The team identified, and marked with asterisks, index papers that could best stimulate translation (Britten et al., 2002; Elmir, Schmied, Wilkes, & Jackson, 2010). The team met bi-weekly to discuss commonalities,

points of departure, relationships between studies, and emergent third order constructs leading to metaphor development. While the most trustworthy studies had the greatest influence on our interpretations, lesser quality ones opened up different interpretive perspectives that might otherwise have been overlooked. An iterative eight-month process of reading, reflecting, and discussing helped us translate studies into one another and identify common themes within each group. Diagrams (Bondas & Hall, 2007; Sandelowski et al., 1997) representing these themes and metaphors helped synthesize lines of argument specific to each profession, in addition to encompassing narratives. We developed new interpretive metaphors and pictures based on our findings, as shown in Table 2. (See also box 1 and appendix 3). Examining each profession independently helped us avoid adopting any encompassing metaphor too early or transforming findings to fit another metaphor (Carpenter, 2008; Schmitt, 2005).

Box 1: Performing Touch in the Arena: a worked example of metaphorical synthesis in male nursing studies (resource study number 27, 28, 46, 58, 59, 72)

Authors and respondents in the male nursing studies used terms such as 'threatened', 'defensive strategies', uniform as 'armor', 'risk', and 'protection'. This warlike language stimulated the review team to conceptualize touch as a performance in a gladiatorial arena. The arena is a metaphor for a space in which society's wish for 'care' is enacted. The arena is a gladiatorial one because touching a patient juxtaposes threat with care. The body, as a site of work, is not neutral territory.

The central focus of the arena is the interplay between a male nurse and a patient of either gender. The setting in which these exchanges take place is emotionally charged and threatens both parties. Interactions between male nurses and patients involve a range of tactical maneuvers. These include the nurses reinforcing stereotypes (e.g. using denigrating language

to describe homosexuals, pretending to be heterosexual), avoiding physical contact (e.g. assuming roles away from the bedside such as becoming a manager), modifying their clinical skills (e.g. giving injections in patients' arms, when buttocks would be more appropriate), and ensuring they are never left alone with patients. Gender and sexuality overshadow male nurses' professional training.

Contextual issues like age, illness acuity, care environment, and healthcare discipline guide and bound interactions in a way that constructs the walls of the arena. Touch is expressed differently, for example, in obstetrics and mental health.

Gender and the history of the nursing profession regulate performance in the arena.

The profession determines policies, including historical segregation, for example, of male from female nurses during training. Commitment to gender-based protection of both nurses and patients prevails.

In turn, professional bodies, policymakers, and male nurse-patient players in the arena respond to the audience of spectators. The audience is composed of members of society, who are also influenced by dominant gender stereotypes and societal norms. These strong stereotypes define and constrain the roles of male nurses.

Across professions

We then moved from translation of the data of individual groups to examine how the explanations translated into one another, by looking at how these metaphors could help interpret the entire dataset, explain relationships within it (Miles & Huberman, 1994), and open new lines of inquiry (Patton, 1990). Next, we compared, contrasted, and contested encompassing narratives across groups, tabulating this so the final synthesis could be linked back to the original articles (Table 3). Nigel and Albert reviewed the resultant findings and audit trail as a further check of rigour. In this way, metaphors facilitated a dialogic process (Dexter & LaMagdeleine, 2002) to create a line of argument synthesis. In meta-ethnography

a line of argument synthesis generates inferences about the dataset as a whole; it drew from studies, the 'structures of signification' both within each study *and* for studies as a set....to discover a "whole" among a set of parts (Noblit & Hare, 1988). In doing so, our resultant interpretation constructed an interpretation of the studies, their contexts and interrelations by putting similarities and differences across studies into a new interpretative context. An effective line of argument synthesis should 'fit', be parsimonious and demonstrate saturation (Noblit & Hare, 1988).

Reflexivity

We consciously used our individual personal experiences as physician educators working in different healthcare settings in different countries to inform our interpretations. We reflected on, and discussed, how gender, age, and culture affected our interpretations of touch as quoted by others. We paid particular attention to how different authors' representations of touch and our perceptions influenced our analysis. We discussed our embodied reactions to graphic and explicit language in the articles and ensured our interpretive metaphors met Noblit and Hare's (1988) aforementioned criteria.

Reporting

This accords with the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) standard (Moher, Liberati, Tetzlaff, & Altman, 2009).

Results

Study characteristics

The final dataset included 41 studies (Figure 1). Their aims, methodologies,

geographical locations, and respondents are listed in Table 1 and Appendix 4. Most professional participants were women. Contexts of care included family doctors', physiotherapists', and counsellors' offices, outpatient departments, acute in-patient care facilities, and long-term nursing homes.



Figure 1 PRISMA 2009 Flow Diagram of Study Selection




Table 1. Characteristics of studies synthesized

¹RN=Resource number, [#] Index papers, ⁺ Studies involving patients only, ^{\$} Studies involving learners.

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
	•	4	4		Data Collection	ò	
	Nursing n=27						
09#	Nursing	Routasalo,	Nursing	5 nurse-patient	Video-	Phenomenology	Find how skilled
	elderly people	1998		pairs	observation		nurses in long-term
	(9=u)						care touch elderly
							patients who have lost
							their reciprocal verbal
							communication
							ability.
#47		Routasalo,	Nursing	25 elderly	Interviews	Content	Describe experiences
		1996		patients		analysis	of touching among
				30 nurses			elderly patients in
							long-term care and
							their nurses.
55		Edwards, 1998	Nursing	6 patients	Interviews	Ethnography	Discover nurses' and
				30 hours	and		patients' perceptions
				observation	observations		of space and touch
							during interactions
							with each other.
30		Tuohy, 2003\$	Nursing	8 student nurses	Interviews	Ethnography	Ascertain how student
				(of older	Observation	Thematic	nurses communicate
				people)		analysis	with older people.

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
	•	1	•		Data	3	
					Collection		
62		McCann,	Nursing	16 hours	Observation	Descriptive	Discover the amount
		McKenna,		observations	Interviews/		and type of touch
		1993		8 interviews	questionnaire		received by elderly
				with patients			patients from nurses
				ı			and asses elderly
							patients' perceptions
							of touch.
54		Watson, 1975	Nursing		Observation	Descriptive/	Describe/interpret
					over 11	quantitative	observed differences
					months		in touching behavior
							among geriatric nurses
							in home for the elderly
							and implications for
							touching in
							interpersonal
							communication.
#28	Male nurses	Harding, 2008	Nursing	18 male nurses	Interviews	Discourse	Explore experiences
	(9=u)						of male nurses
							regarding the use of
							intimate physical
							touch.
#58		Fisher, 2009	Nursing	21 male nurses	Interviews	Life-history	Examine labour
						Gender	processes of male
						relations	nurses in the conduct
							of bodywork.

$\mathbf{D}_{\Omega}\mathbf{f}$	Ctudy Croun	Course Denor	Disoinling	Detect	Mothod of	Mothodology	A im
	dnoto cons	Source Laper	Disciplinic	Dataset	IVICUIOU OI	Michiganies	
					Data		
					Collection		
27		Inoue, 2006	Nursing	12 male nurses	Interviews, 4	Content	Describe male nurses'
					repeat		experiences of
					interviews		providing intimate
							care for women.
72		Keogh, 2006	Nursing	11 male nurses	Interviews	Thematic	Examine male nurses'
						analysis	experiences
							of caring for female
							patients in general and
							psychiatric contexts.
59		Evans, 2002	Nursing	8 male nurses	Interviewed	Thematic	Explore experiences
					twice	analysis	of male nurses and
						Feminist theory	how gender relations
							structure different
							work experiences for
							women and men.
46		O'Lynn,	Nursing	24 adults	4 focus	Thematic	Elicit the attitudes of
		2011+			groups	analysis	laypersons on intimate
							touch provided by
							nurses in general and
							male nurses in
							particular.
#48	Mental health	-u	Nursing	4 patients	Interviews	Phenomenology	Investigate the
	(9=u)	Erikson,		Psychiatry			meaning of physical
		2005+					contact for patients
							who had been treated
							for psychosis

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
					Data Collection		
#52		Gleeson,	Nursing	10 psychiatric	Interviews		Explore psychiatric
		Higgins, 2009		nurses			nurses' perceptions of
							use of physical touch
							with people with
							mental health
							problems
46		Shattell,	Nursing	20 people with	Interviews	Phenomenology	Explore what is
		2007+		mental ill-health			therapeutic about
							therapeutic
							relationships
63		Tommasini,	Psychiatric	27.5 hours of	Observation	Content	Describe decision-
		1990	nursing	observation and	and	analysis	making processes and
				Interviews with	Interviews		intentions of nurses
				13 nurses			who used
							nonprocedural touch
							in inpatient psychiatric
							settings.
71		Carlsson, 2000	Psychiatric	Two nurses and	Written	Phenomenology	Identify caregiver
			nursing	3 nurse	narratives		strategies that brought
				assistants	followed by		about positive
					interviews		encounters with
							aggressive/violent
							clients in psychiatric-
							mental healthcare and
							elucidate/describe
							tacit caring
							knowledge.

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
	,	ı	ı		Data	}	
					Collection		
73		Van Dongen,	Nursing	Psychiatry		Ethnography	Show: how people
		2001					deal with touch
							outside 'normal'
							social life; how this
							way of
							communicating is
							linked with space,
							emotions, power; how
							it is culturally shaped.
36	Nursing –	Chang, 2001	Mixed/nursing	39 adults:	Interviews	Thematic	Identify
	other			healthcare		analysis	characteristics,
	(n=9)			professionals;			aspects, and structure
				in-patients;			of physical touch in
				healthy people			caring.
#20		Pasco, 2004+	Nursing	23 Filipino	Interviews	Ethnography	Describe culturally
				Canadians			embedded values that
							implicitly guide
							Filipino Canadian
							patients' interactions
							with Canadian nurses
							and are integral to
							nurse-patient
							relationships.

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
					Data Collection		
#65		Picco, 2010	Nursing	14 nurses	Interviews	Phenomenology	Explore ward
							experiences of nurses
							in their daily
							relationships with
							bodies of patients they
							had attended to
29		Grant, 2005\$	Nursing	1 student nurse	Narrative	Discourse	Describe discourses of
					writing	analysis	'care' in the
							experience of
							becoming a nurse
74		Dell'Acqua,	Nursing	37 nurses	Interview		Check perception on
		1998					use of touch by
							nurses, classified as
							instrumental or
							expressive
53		McBrien,	Nursing	10 nurses	Interviews	Template	Explore nurses'
		2009				analysis	experience of
							providing spiritual
							care in the accident
							and emergency setting
75		Morse, 1983	Nursing	4 nurses	Interviews	Ethnoscience	Explore comfort as a
							construct

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
			4		Data Collection	30	
16		Williams,	Nursing	10 nurses	Interviews	Content	Investigated the
		2001				analysis	perceptions and
							experiences of
							intimacy within the
							nurse-patient
							relationship
61		Lu, 2014 ⁺	Nursing	18 adults	Focus groups	Thematic	To investigate
						analysis	patient's wishes
							regarding intimate
							nursing care
#13	Medicine	Cocksedge,	Family	26	Interviews	Constant	Explore GPs' and
	(n=4)	2013	medicine	-15 GPs		comparison	patients' experiences
				-11 Patients			of using touch in
							consultations.
#15		Cocksedge,	Family	23 GPs	Interviews	Constant	Explore subjective
		2009	medicine			comparison	influence of individual
							doctors' selves on
							everyday doctor-
							patient interactions.
92		Marcinowicz,	Family	36 patients	Interviews	Thematic	Elucidate types of
		2010+	medicine			analysis	non-verbal behaviors
							perceived by patients
							interacting with family
							GPs and determine
							which cues are
							perceived most
							frequently.

Study Group Source Paper Discipline Dataset Method of Data	Discipline Dataset	scipline Dataset		Method of Data		Methodology	Aim
				Colle	ction		
Williams, Medical 36 students 4 focus	ams, Medical 36 students	36 students		4 foct	SI	Thematic analysis	Understand the problems Caribbean
			0				students faced with
							nonverbal
							communication
							practices.
Roger, 2002 Physiotherapy	Physiotherapy 15	15		Video		Cross case	Determine how
ionals physiotherapists	physiotherapists	physiotherapists		obser	observations	analysis	physiotherapists use
(n=10) Inter	Inter	Inter	Inter	Inter	Interviews		touch in inpatient
							acute and
							rehabilitation settings.
40 physical	Physical 40 physical	40 physical		Tel	Telephone	Thematic	Examine physical
therapists	therapists	therapists		inte	interviews	analysis	therapists' acquisition
							of touching style and
							how touch has
							influenced physical
							therapists' work with
							patients.
	Physiotherapy 9	6		Ō	Observations	Ethnography	Explore models of
physiotherapists	physiotherapists	physiotherapists		In	Interviews		healthcare
patients	patients	patients	patients				communication
							between
							physiotherapist-patient
							in private practice

Ref	Study Group	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
					Data		
					Collection		
12		Bjorbaekmo,	Physiotherapy	6	Observations	Phenomenology	Explore and elaborate
		2016		physiotherapists	Interviews		the meaning and
				9 patients			significance of touch
							in physiotherapy
77		Jensen, 2000	Physiotherapy	12 physical	Observation	Grounded	Identify the
				therapists	and	theory	dimensions of clinical
					interview,		expertise in physical
					case study		therapy practice.
#78		Consedine,	Osteopathy	5 patients	Interviews	Phenomenology	Examine and describe
		2007+					patients' experiences
							of touch during
							consultations with
							osteopaths.
#35		Schifter,	Dentistry	41 students,	Focus group	Thematic	Investigate acquisition
		\$6661		residents,		analysis	and use of touching
		(dentistry)		faculty			styles in dental
							students' and dentists'
							caring for patients
							within the context of
							professional
							education.
62		Tune, 2001	Psychotherapy	9	Interviews	Grounded	To explore views of
				psychotherapists		theory	experienced therapists
							concerning use of
							touch in therapy.

Ref	Ref Study Group Source Paper	Source Paper	Discipline	Dataset	Method of	Methodology	Aim
					Data		
					Collection		
#57		Harrison, 2012 Psychology	Psychology	6 psychologists	Interviews	Phenomenology	Phenomenology Investigate views of
						(IPA)	clinical psychologists
							on touch in therapy
95#		lder,	Counseling	Counseling	Focus groups	Phenomenology	Phenomenology Illuminate experiences
		2010\$		7 faculty			of educators and
				16 students			students of training/
							being trained in non-
							erotic touch in
							counselling

Table 2 – Studies examined by profession, themes, metaphors and new interpretative metaphors.

Health profession, sub-group	Study resource number	Study themes	Author metaphors	Reviewer metaphors	Brief explanation of new metaphor
Nursing – touch as experienced by nurses caring for elderly patients	60, 47, 55, 30, 62, 54	Touch as care Touch as communication Touch is relational Touch as power (who initiates) Touch is natural Touch is feminine	Warm fuzzies	Matriachal	Touch in nursing studies of elderly patients presented touch as 'mothering'. It is given by the nurse/ Mother, and is perceived as being caring. The nurse has a powerful influential role. Patients who break rules risk being disciplined.
Nursing – touch experienced by male nurses	28, 58, 27, 72, 59, 46	Touch is gendered (stereotypes) Touch is risk Touch as control Intimate (genital) touch Space & boundaries	Being a chameleon Uniform as a cloak Finding a safe space Vulnerable bodies Bodywork	Performing in the arena Space invaders	Touch is a strategic performance, in a high risk environment expressed through defensive language

Health profession, sub-group	Study resource number	Study themes	Author metaphors	Reviewer metaphors	Brief explanation of new metaphor
Medicine	13, 15, 76, 356	Touch as communication Touch as connection Touch as risk Space and boundaries	Offering Kleenex and retreating on coasters	A scaffold nail	Touch is an important communication tool, yet the doctor remains aloof. There is a distinction between touch as professional and touch as personal.
Physical therapies (physiotherapy, osteopathy)	17, 51, 18, 12, 77, 78	Touch is care Touch as communication Touch establishes relationships Touch is security Touch is part of healing	Safety Hands on	Hands on Support Security	Touch is about provision of physical and emotional security. Its integral to the job.
Mental health (mental health nursing, psychotherapy, psychology, counselling)	48, 52, 49, 63, 71, 73, 79, 57, 56	Touch as connection Touch as a boundary Touch is risk Space and boundaries The shame of touch	Take my hand Touch is taboo The untouchable Beyond words	An extended hand A lifeline Risky business Cost-benefit analysis	The ambiguity of the extended hand represents the tension between mental health professionals who recognize the value of touch in this vulnerable

Health profession, sub-group	Study resource number	Study themes	Author metaphors	Reviewer metaphors	Brief explanation of new metaphor
					population and the taboo of touch from a professional standpoint.
Patient studies	13, 76, 46, 48, 49, 47, 62, 36, 50, 78, 12, 18, 61	Touch occurs in the context of a relationship Touch from a HCP is expected and accepted		A balanced weighing scale	Patients acknowledge the risk and intimacy of touch but expect and accept touch is part of the experience of illness

Table 3 Translation of second order constructs from study groups, to third order constructs and overarching themes.

Resource number	2 nd order construct(s)	3 rd order construct	3 rd order label	Theme
30, 47, 60	Touch (task and	Touch is an important	Touch is Caring	Touch communicates
27, 58, 59	communicative) plays	means for healthcare	('hands on')	caring
6, 36, 50, 53, 61	an important affective	professionals to convey		
48, 49, 52, 57, 63, 71	role to express comfort,	caring attitudes and		
13, 15, 76	love, reassurance.	regard for patients.		
17				
12, 18, 75, 77				
47, 60	Caring involves creating			
48, 61	security.			
17, 51, 78	_			
49, 52, 56, 57,	Offering, shaking, and			
13, 15, 76, 79	holding a hand is a			
	gateway to expressing			
	care.			
51, 60, 61	Touch without caring is			
	harmful.			

Resource number	2 nd order construct(s)	3rd order construct	3rd order label	Theme
30, 47, 60 48, 52, 56, 48, 63, 73 13,15, 76 52, 12, 75	Touch is communicative. Although non-verbal, it invites verbal communication. Professionals must pay attention to the whole communicative context to determine if touch is appropriate or not.	Touch is a central need, which extends beyond words to express humanity. Touch makes us feel connected with one another and a wider community. This counteracts the isolation of illness. Loss of touch deprives us of our humanity.	Touch is 'beyond words'; a form of human connection	
47, 60, 62 50 47, 51, 57, 56,48, 63 36, 65 17, 75 15, 36, 48,53	Touch is relational. It is more acceptable when it occurs within a relationship that develops over time and less acceptable when the person who touches is a stranger, except in the severest illness. Touch is spiritual.			
60 63, 13, 17, 51, 77 35 16	Professional status permits purposeful touch.	Touch is an active tool to mediate power.	Touch is Power	Touch exercises power

Theme																
3 rd order label																
3rd order construct																
2 nd order construct(s)	There are different	social rules about how	professionals touch	patients versus how	patients touch	professionals. The rules	permit professionals to	initiate touch, because it	is 'beneficial', and	patients accept it as a	consequence of being	ill. Social rules do not	authorize patients to	touch professionals,	who may perceive touch	as threatening.
Resource number	47, 54, 55, 60, 62	72	48, 57, 49, 79	13, 15												

Resource number	2 nd order construct(s)	3rd order construct	3 rd order label	Theme
47, 54, 60	The interpretation of			
	touch by professional			
	and patient differs under			
	different circumstances,			
	e.g. professionals may			
	feel touch is warranted			
	as part of patient care			
	but patients may not			
	interpret it this way – in			
	such cases, the authority			
	of the professional is			
	generally accepted and			
	patients do not object to			
	the use of touch.			
55, 62	The positioning of the			
	professional and patient			
	is important. Touch			
	from above is associated			
	with exertion of power.			
54, 55, 62	Professionals have the			
65	power to distance			
76	themselves by removing			
	their hands or not			
	touching patients in the			
	first place. Just as			
	touching is an			
	expression of power, not			
	touching can also be an			
	expression of power.			

Resource number	2 nd order construct(s)	3 rd order construct	3 rd order label	Theme
54, 58, 65	Bodywork is hierarchical; lower status healthcare professionals do more intimate work and vice versa.			
47, 60 28, 46, 58, 59, 72	Caring touch is feminine.	Touch is framed positively in nursing, traditionally a female profession. Expressions	Touch is Gendered	
27, 28, 46, 58, 59, 72 61	Touch is a gendered performance.	of care and touch tend to be presented in terms of 'warm fuzziness',		
47, 54, 55, 60, 62 57 13, 15	Male and female patients are touched differently.	which challenges how men, particularly male nurses, use touch.		
27, 28, 59	Caring touch is feminized to the extent that male nurses feel they do not know how to touch and need to learn it.	touch, particularly negative male stereotypes, challenge (almost prohibitively) male healthcare professionals' and patients' touching.		

Resource number	2 nd order construct(s)	3rd order construct	3rd order label	Theme
47	Touch can be	Touch is sensitive and	Touch is Threat	
48, 52, 57, 75	uncomfortable.	has negative	(touch is 'touchy';	
		connotations. These	'hands off')	
54	Touch is risk.	range from discomfort		
56, 57, 79		to risk, threat or 'taboo'.		
13, 15, 16, 356		Both patients and		
27, 28, 58, 59, 72	Touch is threatening.	healthcare professionals		
48, 52, 56, 57		may experience touch as		
		threat. Unwanted touch		
		causes fear.		
	The following types of	There are multiple	Boundaries and Space	Touch demands safe
47, 54, 55, 60	boundary exist:	boundaries related to		spaces
50, 16, 356		touch. These are defined		
48, 52, 56, 57, 63, 75,	-gender	by the language of space		
79	-physical	(safe zones, territory).		
13,15	-emotional	Professionals and		
17	-personal	patients use this		
35,75	-professional	language to negotiate		
		boundaries. Each feels		
		vulnerable and		
		intimidated when the		
		other invades their		
		space.		

Integrative Themes

Three themes were identified across the health professions literature. First, we interpreted authors' findings to suggest touch is an important means of communication, which expresses care. Second, our interpretations suggest using physical space sensitively helps professionals cross social boundaries in caring ways but patient experiences suggest it is easy to transgress by touching insensitively. Third, touch expresses power. We first present the themes and then use an overarching metaphor, the waltz of touch, to express the dynamic nature and social complexity of touching we drew from the primary publications cited.

Touch communicates care

A consistent finding across the literature was that professionals and patients value touch as a medium of caring communication. Yet how touch communicates care varies between professions. When nurses perform intimate bodily functions such as bathing and toileting, they use touch judiciously to deliver instrumental and emotional care according to individual patients' needs. Doctors do the same as they fulfil their diagnostic, procedural, and consoling roles through the medium of touch. In physiotherapy and osteopathy, touch appears to have two inextricable linked purposes: physically steadying patients both stops them falling and expresses security and safety. Mental health practitioners (psychiatric nurses, psychotherapists, psychologists, and counselors), who traditionally avoid touching patients, in these data, are much less accepting of touch as a means of expressing caring. Conversely, patients, including those admitted for mental health issues, say they expect to be touched (Cocksedge et al., 2013; O'Lynn & Krautscheid, 2011) and appreciate the way touch humanizes their experiences of care (Cocksedge et al., 2013; Pasco, Morse, & Olson, 2004; Routasalo & Isola, 1996; Salzmann-Erikson & Eriksson, 2005; Shattell, Starr, & Thomas, 2007). Touch is described by some authors using affective language; touch is comforting,

loving, gentle, and reassuring (Chang, 2001; Routasalo & Isola, 1996; Salzmann-Erikson & Eriksson, 2005). Touch expresses warmth, compassion, serenity, and security (Helm, Kinfu, Kline, & Zappile, 1997; Routasalo & Isola, 1996; Salzmann-Erikson & Eriksson, 2005). Touching gives professionals a means of communication "beyond words" (Bjorbækmo & Mengshoel, 2016; Cocksedge et al., 2013; Salzmann-Erikson & Eriksson, 2005), which fundamentally expresses humanity. Touch can help distressed patients, with whom verbal communication is "limited, inadequate or unnecessary" (Gleeson & Higgins, 2009, p 386). It "connects with clients at an emotional level or ... as a way of communicating 'that you felt something in your heart for them . . ." (Gleeson & Higgins, 2009, p 386). Touch, according to some authors, has an almost spiritual dimension (Chang, 2001; Cocksedge & May, 2009; McBrien, 2010; Shattell et al., 2007).

Touch crosses boundaries and requires safe spaces

Overall, the studies we included lead us to understand healthcare touch as a dynamic activity that involves constantly negotiating boundaries and spaces. Boundaries can be physical, personal, or professional. Physical boundaries include states of dress (wearing uniforms) or undress (receiving intimate body care), curtains, side-rooms, and desks. Age, gender, culture, and prior experience of touch define patients' and healthcare professionals' personal boundaries. The way healthcare professionals touch do so, however, is poorly defined. Boundaries define 'safe spaces', or 'territories' that can be invaded or respected (Cocksedge & May, 2009; Harding, North, & Perkins, 2008; McCann & McKenna, 1993; Pasco et al., P. Routasalo & Isola, 1996). Categorization of parts of the body where touching is acceptable has been suggested by some researchers to help inform this complex high stakes interaction though recognition of cultural differences is less well documented (Burkholder, Toth, Feisthamel, & Britton, 2010; Helm et al., 1997; Roger et al., 2002; Schifter, Bogert &

Boston, 1999). Our reading of the literature identifies physical space as an important factor. Authors suggest physical space may be the interpersonal space between a healthcare professional and a patient, the space between a patient and other patients, or the space within physical environments such as a ward, an outpatient clinic, a consultation room, or a patient's bedside, or home.

Touch exercises power

The idea that touch is linked to status appears repeatedly in the literature. Touch is most often initiated by people of higher status (Watson, 1975) and allows them to control people of lower status. Healthcare professionals are careful of the power of touch and use both verbal and non-verbal cues from patients to guide how they use touch in individual circumstances. The literature suggests touch is least likely to exert undue power over patients when it occurs within established relationships. Edwards found that nurses felt more comfortable to initiate touch than to be on the receiving end of it; patients who touched nurses deviate from 'rules' (Edwards, 1998) that define the status and rights of the two parties. Doctors, likewise, touch patients in the context of a professional relationship and do not expect patients to touch them back (Cocksedge et al., 2013). One study, in the context of mental illness, documented how patients who touch professionals exercise power, of a sort, over them. These authors conclude that by doing so, patients affirm their own humanity and encourage professionals to see beyond the diagnostic label attached to them and behave respectfully (Salzmann-Erikson & Eriksson, 2005).

Studies also demonstrated that although professionals use touch to express power, they are subject to its power. This is exemplified by studies of male nurses who avoid touching, are careful what they say about it, and use humor to mitigate its effects (Evans, 2002; Fisher, 2009; Harding et al., 2008; Inoue, Chapman, & Wynaden, 2006; Keogh &

Gleeson, 2006; O'Lynn & Krautscheid, 2011). For this group of men, touching was charged with emotions, which are mainly negative and include discomfort, fear, and a sense of vulnerability. Whilst strongest among male nurses, and weakest among physiotherapists and osteopaths, the risky nature of touch pervades all disciplines. Research in psychology contends touch is 'taboo'; it is a 'high-risk activity' (Burkholder et al., 2010). According to Harrison, Jones and Huws (2012) the idea of a psychologist touching a patient is shameful (Harrison, Jones, & Huws, 2012). It has also been documented that physicians can also behave evasively, using boxes of tissues and pushing their chairs back to avoid touching patients (Cocksedge & May, 2009).

We interpreted the literature to mean, touch is risky because of its unspoken, sexualized nature. It is a gendered act. In a study of male nursing that investigated touch from the nurses' point of one male nurse respondent, said "I steer clear of female patients because I am just very aware of allegations...it's just something that I am very uncomfortable if I would be left on my own with a female patient." (Keogh & Gleeson, 2006, p. 1173). In a different study conducted with family physicians, a family doctor is quoted as saying "I almost never use physical contact, because I think it can be misinterpreted. You're putting yourself at risk." (Cocksedge et al., 2013, p. 287). This sexualization helps begin to explain why experiences of touch appear to be so different for male compared to female nurses.

Nursing was, historically, a female profession; the word nurse means suckling, a female, motherly function. Research from approximately a decade past conclude, it may have been acceptable for women to have intimate, non-sexual contact with another's body because touch is accepted as a female expression of care (Harding et al., 2008). Routasalo and Isola (1996) suggest female nurses' touch is natural and maternal "They described the nursing of elderly patients as similar to that of small children; it was essentially about looking after a

weak person" (p. 173). We noted researchers have shown male touch, in contrast, is sexualized and associated with the stereotypes of sexual predator and homosexual person (Evans, 2002; Inoue et al., 2006; Fisher, 2009). Male nurses may, to mitigate this risk, stop participating directly in patient care (Evans, 2002). Others have reported even female nurses avoid touching 'risky' patients, including elderly men (Watson, 1975; Routasalo & Isola, 1998). The link between the sexualization of touch and risk is also apparent in psychology and counseling, where young women with psychiatric illness are seen as risky (Gleeson & Higgins, 2009). Getting touch wrong has significant personal and social consequences, particularly for professionals, who can lose their livelihood as a result.

Integrating metaphor: The waltz of touch

Our conceptualization of touch that crosses boundaries between health disciplines, to summarize, is that the research to date on touch indicate touch communicates care 'above words' whilst exercising power over the person who touches as well as the person who is touched. How, then, can it be a dynamic activity where boundaries and spaces are constantly negotiated? Metaphor rises above words. We use it now to convey the holistic, integrated nature of touch.

Imagine you are in a crowded 19th century Viennese ballroom. An orchestra plays a

Strauss waltz and silk swirls as pairs of dancers twirl across the floor. This is a magical sight

– almost beyond words - yet your gaze is drawn towards the subtly different ways in which
couples lead and follow one another. Some dance competently and yet look uncomfortable,
some clumsily follow the rules of the dance, whilst others glide effortlessly in tune with the
music and each other. Around the room, others are taking in the magic but perhaps also
trying to take in its essence so they can glide effortlessly too. Through open windows, you
spy a couple dancing out of the public eye, on the balcony. What does it take to fall under the

spell of the waltz?

A strength of metaphors is that they can put the familiar alongside the unfamiliar and make new meaning. But that can also be weakness when, for example, likening touch in healthcare to a crowded room of dancers seems disrespectful and jars. Yet the Viennese dance floor has much in common with everyday healthcare: a dynamic, ever-changing, rule-bound environment, which shapes interactions between partners whose status can never, truly, be the same. Waltz in a rehearsal room is different from waltz in a ballroom just as touching a patient in a curtained bed on an open ward is very different from the privacy of a consultation room, and different again from in patient's home. What seems to be a routine part of healthcare is, in reality, highly individual to the professional and patient who interact at a particular moment and in a particular context. Think for a moment how this metaphor enlivens touch in a way that defies categorization.

As a couple connect through dance, so two people are connected by touch in the intimacy of healthcare; like the couple waltzing on the balcony. Their experience varies with their professional and professional experience, their ages, and their genders. It is easy enough to learn the basic steps of a waltz but dancers will quickly tire of books and rehearsal halls and yearn for ballrooms. When they partner with strangers, they may move clumsily or they may be magically transformed. The 19th century ballroom could make or break peoples' reputations, depending on how others interpreted their behavior. At present, the practice of touch lacks the magic of dance because different professions have different rulebooks, dance steps and rhythms. The waltz of touch in healthcare is not a dance of equals because professionals are taught to leads and expect patients to follows. Men have traditionally led the dance of touch yet women may be better at leading the waltz of touch, particularly when careless leadership could lead to accusations of impropriety. The waltz shows us how much,

despite centuries of progress in clinical science, clinical practice and education have to learn from 19th century Viennese ballrooms.

Discussion and Conclusion

Every day, in clinics and hospitals worldwide, patients allow healthcare professionals to touch their bodies. Despite that, touch has not been the focus of extensive study. We identified 41 research studies spanning 40 years and seven disciplines that report patients' and healthcare professionals' experiences of touch. We use the metaphor of a waltz to express our final line of argument. The evidence suggests touch fulfills many roles in healthcare: touch is diagnostic, procedural, and an expression of care. As, a medium of communication, the affective dimension surpasses the meaning of spoken words. Touch, even when it performs essential clinical tasks, can be interpreted as an expression of compassion, empathy, care, and presence. Touch is credited with healing power when a patient and a professional together create a space where they can safely touch. Creating that space, however, may be fraught with potential danger.

The risks and dangers of abusing touch permeate the studies. Social and psychological harm has been researched more than physical harm. Men and women, as initiators and recipients of touch may interpret touch in ways differently than intended, which may overshadow the potential therapeutic benefits of touch. These findings make clinical practice difficult because those providing care must remain conscious of the different interpretations of this activity and the inherent risk of touching individuals placed in their cares. They must decide if, when, and how to touch as they negotiate personal and professional boundaries specific to each case. The publications in this review mostly present this enactment as 'intuitive' yet it may not necessarily remain the case (Tommasini, 1990; Routasalo & Isola,

1996; Roger et al., 2002 Cocksedge & May, 2009; Harrison et al., 2012). At best, the research on touch to date indicates touch in the healthcare professions is a conflicted and ill-defined practice in which wider societal rules operate. Findings indicate that sociopolitical and culture inform how touch is experienced by professionals and patients in the different care contexts.

A phenomenological approach to understanding touch, such as is advocated here, suggests this more holistic approach is warranted. Drawing on the body-subject concept (Merleau-Ponty, 1945/2013) our experiences of the body and mind coexist. We cannot leave our bodies. Flesh is the materiality through which we know the world. Being touched back by a patient brings the 'person-subject' into focus. As I touch, I am touched; in that moment of touching, we connect. The body sensate asserts itself. If we conceptualize touch as a physically and metaphorically bi-directional phenomenon and abandon the view that professionals are exclusive purveyors of touch, we move beyond power hierarchies that emphasize patients' vulnerabilities. We invite connection on a level that is grounded in mutual regard and reciprocity. We acknowledge our own as well as our patients' vulnerability and humanity. This is more in keeping with contemporary notions of relationship-centred care (Beach & Inui, 2006). The neutrality of the term 'connection' broadens the concept of touch beyond comfort, which, despite being the dominant focus in nursing, does not represent the totality of touch.

The context in which people touch one another influences their experiences in important ways (Bottorff, 1992; Estabrooks & Morse, 1992; Jones & Yarbrough, 1985; Routasalo, 1999). Our synthesis highlights the multiple dimensions of context, from the immediate 'micro-environment' in which it occurs to meso (nursing home, hospital, clinic factors) and macro (discipline, system, societal) levels.

Strengths and limitations

An important feature of this study is our multidisciplinary team approach. We met regularly, kept extensive records and reflective notes, and rotated our work in pairs to ensure that the method of analysis was consistent. We phased our synthesis, starting by clustering studies according to professional discipline. The advantages of this were that we could more readily identify similarities and differences as well as outliers or extreme cases (Paterson, Thorne, Canam, Jillings, 2001). Two senior authors acted as 'critical friends' to interrogate our process and challenge preliminary findings. As the study progressed, we presented our initial findings to various healthcare professionals, including at conference. We discussed our preliminary results with subject experts and with three first authors of papers included in the review, to solicit feedback on methods and findings.

A potential criticism is our focus on 'everyday practice'. We chose this because a substantial proportion of clinical practice is non-specialized adult care. Also, it allowed us to focus our question and consider a manageable dataset for analysis. Pediatrics, oncology, and palliative care remain as topics for future research.

We chose a meta-ethnographic approach, which limited us to primary research. In doing so, we excluded many editorials, letters, and opinion pieces that represent a 'voice' within healthcare. Choosing meta-ethnography required us to synthesize findings from a variety of theoretical backgrounds and epistemological positions, which were often left unstated. Working as a team allowed us to examine this heterogeneous group of studies from a variety of perspectives and reaching consensus through rich discussion. We acknowledge that a different group of researchers using the same interpretive approach might have arrived at a different account. Our choice of the waltz metaphor was even more subjective; and other research teams may have interpreted the data from a different perspective with a different

different outcome (Noblit & Hare, 1988, p. 32). We chose the waltz metaphor because it best encapsulated our interpretation of the research findings to date and the essence of touch. The waltz communicates the complexity more holistically and makes our findings more accessible to at least some readers. It was the metaphor that best fulfilled Noblit and Hare's criterion of apparency.

Practice Implications

Until relatively recently, there was an assumption that communication skills could not be learned. Now it is unthinkable for a medical school not to teach them. Touch could be considered similarly. Described as a 'gestalt' (Estabrooks & Morse, 1992) and 'intuition', the messiness and ambiguity of touch creates educational needs. These include: being more explicit about using the word; talking about how (and why) we touch in healthcare; acknowledging differences between disciplines; including patients; and not hiding from gender roles and risks.

Others before us have called for touch to be included within formal curricula in medicine (Verghese, 2009), nursing (Evans, 2002; Grant, Giddings, & Beale, 2005; O'Lynn & Krautscheid, 2011; Tuohy, 2003), physiotherapy (Roger et al., 2002), and dentistry (Schifter et al., 1999). Before such interventions are introduced, however, we need to understand more about how practicing healthcare professionals learn to touch. In tandem with this, we need to know if and how current healthcare educators teach touch. The focus of much research to date has been on classifying touch and mapping which parts of patients' bodies are touched. Our synthesis moves beyond a taxonomic approach to emphasize the relational nature of touch and the importance of context. Exploring the social and professional milieu in which touch occurs fosters deeper consideration of its complexity as a form of human interaction and moves forward from a solely behavioral focus. Whilst it

expresses a serious point, our final integrative metaphor is deliberately playful and could be used that way in classrooms; for example, by using dance as a novel form of non-verbal communication. Just removing the concept of touch from specific activities, such as examining patients and washing them, could facilitate critical reflection by 'making the familiar strange' (Kumagai & Wear, 2014). This review shows that further research could usefully broaden and deepen a limited evidence base. Our knowledge comes from a small pool of studies of selected populations, often lacking theoretical depth and detail. Age and culture, for example, are repeatedly referenced as issues to consider when using touch, yet neither area is expanded upon. Even in studies of elderly people, the age range of respondents is wide, and only four studies specifically examined culture (Chang, 2001; Lu, Gao, & Zhang, 2014; Pasco et al., 2004; Williams et al., 2013). There is a dearth of research on everyday touch in medicine; there have only been two studies and these were by the same research team in a single discipline: family medicine (Cocksedge et al., 2013; Cocksedge & May, 2009). Increasingly medicine is moving away from the bedside, and 'hands-on' care is delegated to others s, which suggests medicine no longer values touch. Finally, there appears to be a systematic publication bias towards touch as a positive experience. Whilst there are anecdotal reports in the media and all of us have heard people say they were touched harshly, researchers have had little to say about violent or rough touch.

Conclusion

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

Touch is central to human experience and yet it has been the focus of surprisingly little research in healthcare. On first reading, much of the published literature presents touch as an undervalued means to communicate care. Yet the praxis of touch is conflicted.

Subliminal messages of sexual tension, power, and the need for regulation pervade our

interpretation of the research evidence so far. We understand that fear of misinterpretation of other's touch and healthcare's increasing reliance on technology as means of understanding the body and the experiences of the other are but two of the potential threats to ca continued role of touch in health care. Deepening our understanding of providers' experiences of touch and dialogue on touch may help to protect the role of touch as a powerful means of connecting with our patients.

573

574

575

567

568

569

570

571

572

Funding

- This project was made possible by award of a 'Mapping the Landscape, Journeying
- Together' grant from the Arnold P. Gold Foundation Research Institute

577

578

579

References

- 580 Studies with * are included in the final synthesis
- Aita, V., McIlvain, H., Susman, J., & Crabtree, B. (2003). Using metaphor as a qualitative
- analytic approach to understand complexity in primary care research. *Qualitative*
- 583 *Health Research*, 13(10), 1419-1431.
- Beach, M. C., & Inui, T. (2006). Relationship-centered care. *Journal of General Internal*
- 585 *Medicine*, 21(S1), S3-S8.
- Benner, P. (2004). Relational Ethics of Comfort, Touch, and Solace—Endangered Arts?
- 587 *American Journal of Critical Care*, 13(4), 346-349.
- *Bjorbækmo, W. S., & Mengshoel, A. M. (2016). "A touch of physiotherapy"—the
- significance and meaning of touch in the practice of physiotherapy. *Physiotherapy*
- *Theory and Practice*, 1-10.

- Bondas, T., & Hall, E. O. (2007). Challenges in approaching metasynthesis research.
- *Qualitative Health Research*, 17(1), 113-121.
- Bottorff, J.L. (1991). A methodological review and evaluation of research on nurse-patient
- touch. Anthology on Caring. New York: NLN Publications, 303-343.
- Bottorff, J.L. (1992). The use and meaning of touch in caring for patients with cancer. Paper
- presented at the Oncology nursing forum, 20(10), 1531-1538.
- Britten, N., Campbell, R., Pope, C., Donovan, J., Morgan, M., & Pill, R. (2002). Using meta-
- 598 ethnography to synthesise qualitative research: a worked example. *Journal of Health*
- 599 *Services Research & Policy*, 7(4), 209-215.
- *Burkholder, D., Toth, M., Feisthamel, K., & Britton, P. (2010). Faculty and student
- 601 curricular experiences of nonerotic touch in counseling. *Journal of Mental Health*
- 602 *Counseling*, 32(2), 168-185.
- *Carlsson, G., Dahlberg, K., & Drew, N. (2000). Encountering violence and aggression in
- mental health nursing: A phenomenological study of tacit caring knowledge. *Issues in*
- 605 *Mental Health Nursing*, 21(5), 533-545.
- 606 Carpenter, J. (2008). Metaphors in qualitative research: Shedding light or casting shadows?
- 607 *Research in Nursing and Health*, 31(3), 274-282.
- 608 CASP. (2014). CASP UK. Critical Appraisal Skills Programme (CASP).
- *Chang, S. O. (2001). The conceptual structure of physical touch in caring. *Journal of*
- Advanced Nursing, 33(6), 820-827.
- *Cocksedge, S., George, B., Renwick, S., & Chew-Graham, C. A. (2013). Touch in primary
- care consultations: qualitative investigation of doctors' and patients' perceptions.
- *British Journal of General Practice*, 63(609), 283-290.
- *Cocksedge, S., & May, C. (2009). Doctors' perceptions of personal boundaries to primary

615	care interactions: a qualitative investigation. Communication & Medicine, 6(2), 109-
616	116.
617	*Consedine, S. (2007). Knowing hands converse with an expressive body- an experience of
618	osteopathic touch. (Master of Osteopathy), Unitec New Zealand.
619	*Dell'Acqua, M. C. Q., Araujo, V. A. d., & Silva, M. J. P. d. (1998). Toque: qual o uso atual
620	pelo enfermeiro. Rev Latino-am Enfermagem, 6(2).
621	Dexter, S., & LaMagdeleine, D. R. (2002). Dominance theater, slam-a-thon, and cargo cults:
622	Three illustrations of how using conceptual metaphors in qualitative research works.
623	Qualitative Inquiry, 8(3), 362-380.
624	*Edwards, S. (1998). An anthropological interpretation of nurses' and patients' perceptions
625	of the use of space and touch. Journal of Advanced Nursing, 28(4), 809-817.
626	Elmir, R., Schmied, V., Wilkes, L., & Jackson, D. (2010). Women's perceptions and
627	experiences of a traumatic birth: a meta-ethnography. Journal of Advanced Nursing,
628	66(10), 2142-2153.
629	Estabrooks, C., & Morse, J. (1992). Toward a theory of touch: the touching process and
630	acquiring a touching style. Journal of Advanced Nursing, 17(4), 448-456.
631	*Evans, J. A. (2002). Cautious caregivers: gender stereotypes and the sexualization of men
632	nurses' touch. Journal of Advanced Nursing, 40(4), 441-448.
633	Fairclough, N. (1989). Language and Power. London: Longman.
634	Feilchenfeld, Z., Dornan, T., Whitehead, C., and Kuper, A. (2017). Ultrasound in
635	undergraduate medical education: a systematic and critical review. Medical
636	Education, 51(4), 366-378
637	*Fisher, M. J. (2009). 'Being a Chameleon': labour processes of male nurses performing
638	bodywork. Journal of Advanced Nursing, 65(12), 2668-2677.

639	Fredriksson, L. (1999). Modes of relating in a caring conversation: a research synthesis on
640	presence, touch and listening. Journal of Advanced Nursing, 30(5), 1167-1176.
641	*Gleeson, M., & Higgins, A. (2009). Touch in mental health nursing: an exploratory study of
642	nurses' views and perceptions. Journal of Psychiatric and Mental Health Nursing,
643	16(4), 382-389.
644	Gleeson, M., & Timmins, F. (2005). A review of the use and clinical effectiveness of touch
645	as a nursing intervention. Clinical Effectiveness in Nursing, 9(1-2), 69-77.
646	doi:10.1016/j.cein.2004.12.002
647	*Grant, B. M., Giddings, L. S., & Beale, J. E. (2005). Vulnerable bodies: competing
648	discourses of intimate bodily care. The Journal of Nursing Education, 44(11), 498-
649	504.
650	*Harding, T., North, N., & Perkins, R. (2008). Sexualizing men's touch: male nurses and the
651	use of intimate touch in clinical practice. Research and Theory for Nursing Practice,
652	22(2), 88-102.
653	Hargreaves, S. (1982). The relevance of non-verbal skills in physiotherapy. Australian
654	Journal of Physiotherapy, 28(4), 19-22.
655	*Harrison, C., Jones, R. S., & Huws, J. C. (2012). "We're people who don't touch":
656	Exploring clinical psychologists' perspectives on their use of touch in therapy.
657	Counselling Psychology Quarterly, 25(3), 277-287.
658	*Helm, J., Kinfu, D., Kline, D., & Zappile, M. (1997). Acquisition of a touching style and the
659	clinician's use of touch in physical therapy. Journal of Physical Therapy Education,
660	11, 17-25.
661	*Hiller, A., Guillemin, M., & Delany, C. (2015). Exploring healthcare communication
662	models in private physiotherapy practice. Patient Education and Counseling, 98(10),

- 663 1222-1228.
- Ingham, A. (1989). A review of the literature relating to touch and its use in intensive care.
- 665 *Intensive Care Nursing*, 5(2), 65-75.
- *Inoue, M., Chapman, R., & Wynaden, D. (2006). Male nurses' experiences of providing
- intimate care for women clients. *Journal of Advanced Nursing*, 55(5), 559-567.
- *Jensen, G. M., Gwyer, J., Shepard, K. F., & Hack, L. M. (2000). Expert practice in physical
- therapy. *Physical Therapy*, 80(1), 28-43.
- Johnston, C. (2014). The physician's first touch. Canadian Medical Association Journal,
- 671 *186*(1), 80-80.
- Jones, S. E., & Yarbrough, A. E. (1985). A naturalistic study of the meanings of touch.
- 673 *Communications Monographs*, 52(1), 19-56.
- Kangas, S., Warren, N. A., & Byrne, M. M. (1998). Metaphor: The language of nursing
- 675 researchers. Nursing Research, 47(3), 190-193.
- Kelly, M., Tink, W., Nixon, L., & Dornan, T. (2015). Losing touch? Refining the role of
- 677 physical examination in family medicine. Canadian Family Physician, 61(12), 1041-
- 678 1043.
- *Keogh, B., & Gleeson, M. (2006). Caring for female patients: The experiences of male
- 680 nurses. *British Journal of Nursing* 15(21), 1172-1175.
- Kumagai, A. K., & Wear, D. (2014). "Making strange": a role for the humanities in medical
- 682 education. *Academic Medicine*, 89(7), 973-977.
- Lakoff, G., & Johnson, M. (2008). *Metaphors we live by*. Chicago, IL: University of Chicago
- press.
- *Lu, N., Gao, X., & Zhang, S. (2014). Attitudes on intimate touch during nursing care in
- 686 China. *International Journal of Nursing Practice*, 20(2), 221-225.

- 687 Malpass, A., Shaw, A., Sharp, D., Walter, F., Feder, G., Ridd, M., & Kessler, D. (2009).
- "Medication career" or "Moral career"? The two sides of managing antidepressants:
- A meta-ethnography of patients' experience of antidepressants. Social Science &
- 690 *Medicine*, 68(1), 154-168.
- Manning, P. K. (1979). Metaphors of the field: Varieties of organizational discourse.
- *Administrative Science Quarterly*, 24(4), 660-671.
- *Marcinowicz, L., Konstantynowicz, J., & Godlewski, C. (2010). Patients' perceptions of GP
- 694 non-verbal communication: a qualitative study. British Journal of General Practice,
- 695 60(571), 83-87.
- *McBrien, B. (2010). Emergency nurses' provision of spiritual care: A literature review.
- 697 British Journal of Nursing, 19(12), 768-773.
- *McCann, K., & McKenna, H. P. (1993). An examination of touch between nurses and
- 699 elderly patients in a continuing care setting in Northern Ireland. *Journal of Advanced*
- 700 *Nursing*, 18(5), 838-846.
- Merleau-Ponty, M. (1945/2013). *Phenomenology of perception* (D. A. Landes, Trans.).
- 702 London:Routledge.
- 703 Miles, M. B., & Huberman, A. M. (1994). Qualitative data analysis: An expanded
- 704 sourcebook. Thousand Oaks, CA: Sage.
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for
- systematic reviews and meta-analyses: the PRISMA statement. *Annals of Internal*
- 707 *Medicine*, 151(4), 264-269.
- Moore, J. W. (1991). Touch: The magic of therapy and communication. *Journal of Hand*
- 709 *Therapy*, 4(1), 1-5.
- *Morse, J. M. (1983). An ethnoscientific analysis of comfort: a preliminary investigation.

- 711 *Nursing papers. Perspectives in Nursing*, 15(1), 6-20.
- Noblit, G. W., & Hare, R. D. (1988). Meta-ethnography: synthesizing qualitative studies
- 713 (Vol. 11). Thousand Oaks, CA: Sage.
- *O'Lynn, C., & Krautscheid, L. (2011). How should I touch you?': a qualitative study of
- attitudes on intimate touch in nursing care. *The American Journal of Nursing*, 111(3),
- 716 24-31.
- *Pasco, A. C. Y., Morse, J. M., & Olson, J. K. (2004). Cross-Cultural Relationships Between
- Nurses and Filipino Canadian Patients. *Journal of Nursing Scholarship*, 36(3), 239-
- 719 246.
- Paterson, B. L., Thorne, S.E., Canam, C., Jillings, C. . (2001). Meta-Study of Qualitative
- 721 Health Research: A Practical Guide to Meta-Analysis and Meta-Synthesis (Vol. 3).
- 722 Thousand Oaks, CA: Sage.
- Paterson, M., & Dodge, M. (2012). *Touching space, placing touch.* UK: Ashgate Publishing,
- 724 Ltd.
- Patterson, M. M. (2012). Touch: vital to patient-physician relationships. *The Journal of the*
- 726 American Osteopathic Association, 112(8), 485-485.
- Patton, M. Q. (1990). *Qualitative evaluation and research methods*. Sage Publications
- 728
- Pepler, C. J. (1984). Congruence in relational messages communicated to nursing home
- 730 residents through nurse aide touch behaviors. Doctoral Dissertation, University of
- 731 Michigan.
- 732 Phelan, J. E. (2009). Exploring the use of touch in the psychotherapeutic setting: A
- 733 phenomenological review. Psychotherapy: Theory, Research, Practice, Training,
- 734 46(1), 97.
- *Picco, E., Santoro, R., & Garrino, L. (2010). Dealing with the patient's body in nursing:

- Nurses' ambiguous experience in clinical practice. *Nursing inquiry*, 17(1), 39-46.
- 737 Posthuma, B. W. (1985). Learning to touch. Canadian Journal of Occupational Therapy,
- 738 52(4), 189-193.
- *Roger, J., Darfour, D., Dham, A., Hickman, O., Shaubach, L., & Shepard, K. (2002).
- Physiotherapists' use of touch in inpatient settings. *Physiotherapy Research*
- 741 *International*, 7(3), 170-186.
- Routasalo, P. (1999). Physical touch in nursing studies: a literature review. *Journal of*
- 743 *Advanced Nursing*, 30(4), 843-850.
- *Routasalo, P., & Isola, A. (1996). The Right to Touch and Be Touched. *Nursing Ethics*,
- 745 3(2), 165-176.
- *Routasalo, P., & Isola, A. (1998). Touching by skilled nurses in elderly nursing care.
- 747 *Scandinavian Journal of Caring Sciences*, 12(3), 170-178.
- *Salzmann-Erikson, M., & Eriksson, H. (2005). Encountering touch: A path to affinity in
- psychiatric care. *Issues in Mental Health Nursing*, 26(8), 843-852.
- Sandelowski, M., Docherty, S., & Emden, C. (1997). Focus on qualitative methods
- Qualitative metasynthesis: issues and techniques. *Research in Nursing and Health*,
- 752 20, 365-372.
- *Schifter, C. C., Bogert, M., & Boston, D. (1999). Acquisition of a touching style. *Journal of*
- 754 Dental Education, 63(5), 400-406.
- Schmitt, R. (2005). Systematic metaphor analysis as a method of qualitative research. *The*
- 756 *Qualitative Report*, 10(2), 358-394.
- *Shattell, M. M., Starr, S. S., & Thomas, S. P. (2007). 'Take my hand, help me out': Mental
- health service recipients' experience of the therapeutic relationship. *International*
- *Journal of Mental Health Nursing*, 16(4), 274-284.

760	
761	*Tommasini, N. R. (1990). The use of touch with the hospitalized psychiatric patient.
762	Archives of Psychiatric Nursing, 4(4), 213-220.
763	*Tune, D. (2001). Is touch a valid therapeutic intervention? Early returns from a qualitative
764	study of therapists' views. Counselling and Psychotheraphy Research, 1(3), 167-171.
765	*Tuohy, D. (2003). Student nurse-older person communication. Nurse Education Today,
766	23(1), 19-26.
767	*Van Dongen, E., & Elema, R. (2001). The art of touching: the culture of 'body work' in
768	nursing. Anthropology & Medicine, 8(2-3), 149-162.
769	Verghese, A. (2009). A touch of sense. <i>Health Affairs</i> , 28(4), 1177-1182.
770	*Watson, W. H. (1975). The meanings of touch: Geriatric nursing. <i>Journal of</i>
771	Communication, 25(3), 104-112.
772 773	Weiss SJ (1979) The language of touch Nursing Research 28,76-80
774	Westland, G. (2011). Physical touch in psychotherapy: Why are we not touching more? Body,
775	Movement and Dance in Psychotherapy, 6(1), 17-29.
776	*Williams, A. (2001). A literature review on the concept of intimacy in nursing. <i>Journal of</i>
777	Advanced Nursing, 33(5), 660-667
778	*Williams, S., Harricharan, M., & Sa, B. (2013). Nonverbal Communication in a Caribbean
779	Medical School: "Touch Is a Touchy Issue". Teaching and Learning in Medicine,
780	25(1), 39-46.