



# University of HUDDERSFIELD

## University of Huddersfield Repository

Williams, Layla, Ioannou, Maria and Hammond, Laura

Proposal for a community based perpetrator, primary caregiver and child victim sexual risk assessment tool - The Sexual Allegation Form Evaluating Risk (SAFER)

### Original Citation

Williams, Layla, Ioannou, Maria and Hammond, Laura (2016) Proposal for a community based perpetrator, primary caregiver and child victim sexual risk assessment tool - The Sexual Allegation Form Evaluating Risk (SAFER). *Assessment & Development Matters*, 8 (1). ISSN 2040-4069

This version is available at <http://eprints.hud.ac.uk/id/eprint/28185/>

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: [E.mailbox@hud.ac.uk](mailto:E.mailbox@hud.ac.uk).

<http://eprints.hud.ac.uk/>

**Proposal for a Community Based Perpetrator, Primary Caregiver and Child Victim Sexual Risk Assessment Tool – The Sexual Allegation Form Evaluating Risk (SAFER)**

**Layla Williams, Maria Ioannou and Laura Hammond**

*International Research Centre for Investigative Psychology, School of Human and Health Sciences, University of Huddersfield*

Child sexual abuse (CSA) is a pervasive and underreported issue (Stoltenborgh *et al.* 2015). It can impact on every area of a child's development including short and long term emotional, cognitive, behavioural, physical, social and sexual difficulties (NSPCC, 2015). Given the disparity between the prevalence of CSA, underreported incidents and low rate of successful conviction (Lepper, 2012) more effective methods of assessment are required.

CSA is often brought to the attention of protective agencies via allegations, behavioural indicators (e.g. sexualised behaviour) or professional involvement for other concerns (e.g. neglect). Here risk assessments are made based on clinical / professional judgement. Although actuarial tools assessing sexual risk exist the majority are designed, used and validated on convicted perpetrators within institutions and are based on factors relating to recidivism. There is growing evidence that a large majority of sex offences are committed by individuals without prior convictions (Duwe, 2012; MOJ, 2011). Such issues invalidate existing tools when applied to first time offenders in the community. A risk assessment tool was therefore proposed to assess risk in the community from perpetrators of sexual abuse where credible allegations have been made. The tool was intended to be an empirically based framework for use alongside professional judgement. Risk of CSA is not merely generated from a perpetrator but through cumulative dynamics

## COMMUNITY BASED SEXUAL RISK ASSESSMENT TOOL - SAFER

between key individuals and the surrounding context, often mediated by protective factors. Unlike individual focused tools the Sexual Allegation Form Evaluating Risk (SAFER) was constructed to collectively assess risks and strengths across perpetrator, child victim (CV) and primary caregiver (PC) here termed the “primary triad”.

The development of SAFER began with literature reviews on theories of sexual offending and assessment tools and frameworks for evaluating risk and protective factors. The tool was then constructed and tested via a three stage process.

### *Theoretical base*

Beech and Ward’s (2004) aetiological model of risk (onto which key theories of sexual offending can be mapped) was identified as a strong theoretical foundation. This model was restructured to reflect Bronfenbrenner's (1979) ecological framework which proposes a series of subsystems interacting around an individual for development and growth. It was suggested that risk (and strengths) could be similarly seen as an emergent property from within an individual, beginning with development factors, emanating out into static, then stable dynamic and then acute dynamic factors. This emergent level of risk / vulnerability was applied to each individual in the primary triad and the SAFER tool sought to define and assess the combined risk or “overlap” of all three individuals’ dynamic factors. It is plausible that strength items could also be placed into static, stable and acute categories however the research base was limited and so these items were considered individually.

### *Item Selection*

## COMMUNITY BASED SEXUAL RISK ASSESSMENT TOOL - SAFER

Items were selected from a combination of existing actuarial tools, meta-analysis, population specific research and current frameworks.

*Perpetrator Items:* Static items were selected from validated actuarial tools. Dynamic items were drawn from meta-analysis and studies with less validation but more fitting to the population (e.g. Duwe, 2012). Strength items were mainly from the SAPROF tool (De Vogel *et al.* 2009).

*PC Items:* Many risk items were from a framework by Calder *et al.* (2001). Limited research was identified for strengths however one key document (Keeble, 1993) outlined considerations for working with non-abusing partners. Literature reviews provided support for items and suggested others.

*CV Items:* Risk items were identified from the literature review and the FACS tool (Friendship & Thornton, 2002) For strengths items studies included Marriott *et al.* 2014 and Domhardt *et al.* 2014 and items from the AIM2 tool (Griffin *et al.* 2008).

Items were collapsed into static, stable and acute domains.

**Table 1:** Primary triad SAFER domains

<b>PERPETRATOR</b>	<b>PRIMARY CARER</b>	<b>CHILD VICTIM</b>
<b>RISKS</b>		
<i>STATIC</i>		
Age	-	Age
-	-	Gender
Previous allegations	-	-
Previous convictions	Previous victimization	Previous abuse
<i>STABLE DYNAMIC</i>		
Emotional functioning	Emotional functioning	Emotional functioning
Sexual preoccupation	Capacity around incident	Capacity around incident
Cognitive distortions	Cognitive distortions	-
Intimacy deficits	Relationship to perpetrator	Relationship to perpetrator
-	Relationship with child	-
Self-management	Potential to engage	-
Social functioning	Social network	Social network
<i>ACUTE DYNAMIC</i>		
Escalators of risk	Home dynamics	Vulnerably
<b>STRENGTHS</b>		
Goal directed	Independence	Learning
Intimacy related	Responsivity to child	-
Inner resources	Inner resources	Inner resources
Treatment based	-	-
Potential to engage	Cooperation	-
Social network	Social network	Social network

*Scoring the tool*

## COMMUNITY BASED SEXUAL RISK ASSESSMENT TOOL - SAFER

In risk assessment standards have been suggested that an item needs at least three separate studies which when meta-analysed show association to lower rates of recidivism for it to be considered “robust” (De Vogel et al., 2009; Mann et al. 2010). Scores were allocated to reflect the amount and strength of evidence base for each item. Items with “robust” empirical support could obtain scores of 0 or 6 for absent / present and 0 / 4 / 6 for items that required a graded response (e.g. not present / suspected / present). Items with fewer research studies scored 0 / 4 or 0 / 2 / 4 for graded items. Items based on theory alone scored 0 / 2 or 0 / 1 / 2. An example within the Perpetrator stable dynamic domain is provided in Table 2.

**Table 2:** Scoring example for perpetrator item

<i>STABLE DYNAMIC</i>	
EMOTIONAL FUNCTIONING	
1. Self-regulation difficulties (ability to self-monitor / inhibit impulsive decisions)	0 / 4 / 6

As this was the first trial cut off scores were not assigned, instead percentages were calculated to present total risk and strength profiles.

### *Testing*

The tool was evaluated through a three stage process using practitioners from a specialist intervention and assessment service.

## COMMUNITY BASED SEXUAL RISK ASSESSMENT TOOL - SAFER

- 1) Scoring a hypothetical case
- 2) Scoring a historical case
- 3) Case study - scored with results compared to clinical assessment report and a fact finding hearing

**Results**

Results of inter-rater agreement indicated the highest levels of agreement across risk items and items within the PC domains. Agreement overall did not exceed 60% however the tool was able to capture the general levels of risk and strength for comparison. Qualitative feedback was also positive.

Although in its infancy the SAFER tool has demonstrated potential for being able to assist professionals in thinking about the cumulative, interacting risks and strengths in incidents of CSA. Further development would include modification of the scoring system, further research into items (particularly strengths) and a wider scale pilot.

## References

- Bronfenbrenner, U. (1979). *The ecology of human development: Experiments in nature and design*. Cambridge, MA: Harvard University Press.
- Calder, M.C., Peake, A & Rose, K. (2001). *Mothers of sexually abused children: A framework for assessment, understanding and support*. Dorset: Russell House Publishing.
- De Vogel, V., de Ruiter, C., Bouman, Y. & de Vries Robbé, M. (2009). *SAPROF. Guidelines for the assessment of protective factors for violence risk*. English version. Utrecht: Forum Educatief. [Electronic version]. Retrieved 27 July 2015 from [www.saprof.com/\\_files/Phd%20Thesis%20Protective%20Factors.%20Michiel%20de%20Vries%20Robbe.pdf](http://www.saprof.com/_files/Phd%20Thesis%20Protective%20Factors.%20Michiel%20de%20Vries%20Robbe.pdf).
- Domhardt, M., Münzer, A., Fegert, J.M., Goldbeck, L. (2014). Resilience in Survivors of Child Sexual Abuse: A Systematic Review of the Literature. *Trauma Violence & Abuse*, 16(4), pp.476-493).
- Duwe, G. (2012). Predicting First-Time Sexual Offending among Prisoners without a prior sex offense history, The Minnesota Sexual Criminal Offending Risk Estimate (MnSCORE). *Criminal Justice and Behaviour*, 39(11), pp.1436-1456.
- Friendship, C., & Thornton, D. (2002). Risk assessment for offenders. In K. D. Browne, H. Hanks, P. Stratton, & C. Hamilton (Eds.), *Early prediction and prevention of child abuse: A handbook* (pp. 301–316). Chichester, England: Wiley.
- Griffin, H.L., Beech, A., Print, B., Bradshaw, H. & Quayle, J. (2008). The development and initial testing of the AIM2 framework to assess risk and strengths in young people who sexually offend. *Journal of Sexual Aggression*, 14, pp.211-225.

- Keeble, P. (1993). *Child Sexual Abuse. Non offending parents. Protective Services for Children & young people*. Department of Health & Community Services. [Electronic version] Retrieved 27 July 2015 from [www.ccoso.org/sites/default/files/import/CP\\_csa\\_non-offending\\_vol3.pdf](http://www.ccoso.org/sites/default/files/import/CP_csa_non-offending_vol3.pdf).
- Lepper, J. (2012, April 3). Less than 10 per cent of child sex offences result in conviction. *Children & young people now*. Retrieved 21 July 2015 from [www.cypnow.co.uk/cyp/news/1072737/less-cent-child-sex-offences-result-conviction](http://www.cypnow.co.uk/cyp/news/1072737/less-cent-child-sex-offences-result-conviction).
- Mann, R. E., Hanson, R.K. & Thornton, D. (2010). Assessing risk for sexual recidivism: Some proposals on the nature of psychologically meaningful risk factors. *Sexual Abuse: A Journal of Research and Treatment*, 22, pp.191-217.
- Marriott, C., Hamilton-Giachritsis, C. & Harrop, C., 2014. Factors promoting resilience following childhood sexual abuse: A structured, narrative review of the literature. *Child Abuse Review*, 23(1), pp.17-34.
- Ministry of Justice. (2011). *2011 Compendium of re-offending statistics and analysis*. Ministry of Justice Statistics bulletin. Retrieved on 17 July 2015 from [www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/199232/2011-compendium-reoffending-stats-analysis.pdf](http://www.gov.uk/government/uploads/system/uploads/attachment_data/file/199232/2011-compendium-reoffending-stats-analysis.pdf).
- NSPCC. (2015). *Sexual abuse: Signs, symptoms and effects*. NSPCC. [Electronic version]. Retrieved on 16 July 2015 from [www.nspcc.org.uk/preventing-abuse/child-abuse-and-neglect/child-sexual-abuse/signs-symptoms-effects](http://www.nspcc.org.uk/preventing-abuse/child-abuse-and-neglect/child-sexual-abuse/signs-symptoms-effects).
- Stoltenborgh, M., Bakermans-Kranenburg, M. J., Alink L. R. A. & van IJzendoorn, M. H. (2015). The Prevalence of Child Maltreatment across the Globe: Review of a Series of Meta-Analyses. *Child Abuse Review*, 24, pp.37–50.

Ward, T. & Beech, A.R. (2004). The etiology of risk: A preliminary model. *Sexual Abuse: A Journal of Research and Treatment*, 16, pp.271-284.