



University of HUDDERSFIELD

University of Huddersfield Repository

Somogyi, Ron Barry, Edward, Karen-Leigh, Baghdikian, Nairy, Stephenson, John, Webb, Angela and Morrison, Wayne

Understanding the factors that influence breast reconstruction decision making in Australian women

Original Citation

Somogyi, Ron Barry, Edward, Karen-Leigh, Baghdikian, Nairy, Stephenson, John, Webb, Angela and Morrison, Wayne (2014) Understanding the factors that influence breast reconstruction decision making in Australian women. In: Royal Australasian College of Surgeons (RACS) Annual Scientific Congress, 5th - 9th May 2014, Singapore. (Unpublished)

This version is available at <https://eprints.hud.ac.uk/id/eprint/20079/>

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: E.mailbox@hud.ac.uk.

<http://eprints.hud.ac.uk/>



Understanding the factors that influence breast reconstruction decision making in Australian women



R. Somogyi¹, K Edward^{2,3}, N. Baghdikian¹, J. Stephenson⁴, A. Webb¹, W. Morrison¹

¹St Vincent's Hospital, Melbourne, Australia, ²St Vincent's Private Hospital Melbourne, ³Australian Catholic University, ⁴University of Huddersfield

Only 5-30% of women receive reconstruction (12% of Australian women) following mastectomy. Few studies have looked at the reasons why women decide whether or not to have breast reconstruction. Our aim was to identify social and demographic factors that influence Australian women's decision to have breast reconstruction.

Methods

- Online survey sent to breast cancer patients through Breast Cancer Network Australia
 - ✓ See Figure 1
- Multiple Regression Model to identify influential decision making factors

Results

- 501 mastectomy patients completed survey
 - 309 (65%) underwent reconstruction
 - 45% Implant based, 44% Tissue Transfer, 11% Both
- Factors that positively influenced the likelihood of breast reconstruction included bilateral mastectomy, younger age, lower home/work responsibilities and the influence of the plastic-reconstructive surgeon
 - ✓ See Table 1 for full descriptive statistics




Figure 1 – Factors collected in the Survey




Figure 2 – Reasons for considering breast reconstruction and deciding against it

Variable*	All patients (n=501)	Patients undergoing reconstruction (n=308)	p-value
Mastectomy			
Unilateral	323 (64.5%)	181 (56.0%)	0.001
Bilateral	178 (35.5%)	127 (71.3%)	
Hospital type			
Private	351 (70.1%)	228 (65.0%)	0.058
Public	150 (29.9%)	80 (53.3%)	
Hospital location			
Regional	105 (21.0%)	54 (51.4%)	0.082
Urban	396 (79.0%)	254 (64.1%)	
Family status			
No children living at home	231 (46.1%)	126 (54.5%)	0.592
Children living at home	270 (53.9%)	182 (67.4%)	
Employment status			
Not employed full- or part-time	98 (19.6%)	54 (55.1%)	0.634
Employed full- or part-time	403 (80.4%)	254 (63.0%)	
Timing of reconstruction discussion			
No discussion before surgery	195 (38.9%)	103 (52.8%)	0.156
Discussion before surgery	306 (61.1%)	205 (67.0%)	
Age at surgery (years): mean (SD)	48.9 (9.1)	47.7 (9.0)	0.046
Level of home/work responsibilities: median (IQR)	4 (3-5)	4 (3-5)	0.042
Level of home support: median (IQR)	4 (3-5)	4 (4-5)	0.293
Effect of breast surgeon: mean (SD)	6.51 (3.34)	6.92 (3.10)	0.823
Effect of plastic surgeon: mean (SD)	7.21 (3.40)	8.10 (2.71)	<0.001
Effect of breast care nurse: mean (SD)	4.70 (3.46)	4.82 (3.51)	0.111
Effect of family & friends: mean (SD)	4.75 (3.17)	4.94 (3.07)	0.575

Table 1 – Patient data comparing those who underwent reconstruction with those who did not

Conclusions

- Our study demonstrates that social and demographic data can be gathered easily from breast cancer patients and that these factors may significantly influence their decision to undergo breast reconstruction
- This data is important to allow breast cancer patients to make informed and effective decisions about their care