



University of HUDDERSFIELD

University of Huddersfield Repository

Kendal, Sarah

Guided self-help: is it relevant to emotional wellbeing promotion in high schools

Original Citation

Kendal, Sarah (2015) Guided self-help: is it relevant to emotional wellbeing promotion in high schools. *Education and health*, 33 (4). pp. 100-104. ISSN 0265-1602

This version is available at <http://eprints.hud.ac.uk/id/eprint/26737/>

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: E.mailbox@hud.ac.uk.

<http://eprints.hud.ac.uk/>

Dr Sarah Kendal is Principal Lecturer, School of Human and Health Sciences, University of Huddersfield.

For communication, please email: S.Kendal@hud.ac.uk

Sarah Kendal

Guided self-help: is it relevant to emotional wellbeing promotion in high schools?

A few years ago, SHEU published an article about a research study I conducted in three high schools in the UK (Kendal, 2011). The aim was to find out whether there was a way to use 'guided self-help' in schools, to help promote students' emotional wellbeing. Guided self-help (also known as supported self-help) combines support or guidance from a practitioner (a person with appropriate skills but not necessarily a mental health expert), techniques and principles of cognitive behaviour therapy (CBT), and evidence-based, self-help resources such as books and websites. There is an abundance of self-help and self-improvement literature freely available but the quality of these texts is variable. In recent years however, the body of evidence around self-help has been growing and evidence-based self-help now sits within mainstream mental health services. I developed this study because I had been impressed by the effectiveness of guided self-help during my clinical practice as a mental health nurse, and thought it might have something to offer in a high school setting; but since then, self-help has become a core therapy in the UK-wide Improving Access to Psychological Therapies (IAPT) programme (Cooper, 2013).

This research study was conducted during 2006-7. I provided a set of high quality, carefully selected self-help resources to use with students, on topics such as how to manage anger, panic or low mood; and delivered brief training and ongoing supervision in guided self-help for some teaching support staff in the three schools. These wonderful staff offered students a discreet and confidential service via a system of self-referral and brief, guided self-help interventions lasting 15-30 minutes each. The role of the staff was to

help students with engagement, clarifying the problem, setting and working towards goals, and motivation. We learned that the pupils found the service valuable- particularly the fact that it was discreet; but despite the model of short appointments, staff needed protected time to deliver it, which was not always feasible.

In this article, I will reflect on the policy context, accumulating evidence and recent developments around promoting mental health and emotional wellbeing in UK schools.

The scale of the problem : young people's mental health

The reported prevalence of mental disorders in young people in the UK is 10% for 11-16 year olds (Green et al., 2005), but this is likely to be an underestimate because young people encounter many difficulties when attempting to access help (Kendal, 2014). More recently, US data have indicated higher prevalence of 14-32% (Merikangas, 2010), and global data suggest an equivalent prevalence worldwide (World Health Organization (WHO), 2015). Mental health problems in early life have been linked with lifelong disadvantage, including poor mental and physical health throughout adulthood, and reduced life chances overall (Richards et al., 2009); yet many young people are in circumstances that make them vulnerable to mental health problems. UK public health data suggest that one in 10 students in secondary education feel unhappy, one in three feels low every week, just under a quarter report that they have been bullied and more than a third are frightened of being bullied (National Institute for Health and Care Excellence (NICE), 2009). Prevalence and reoccurrence rates of domestic

abuse affecting young people are high (Fox et al., 2014; Sousa et al., 2011). Being a young carer or in local authority care, having a learning disability or a parent in prison and living in poverty are all risk factors for mental health problems in young people (Jones et al., 2013; NHS England, 2015; Richards et al., 2009).

Within current UK policy, much of the responsibility for supporting the emotional wellbeing of young people rests with schools (NHS England, 2015). Although specialist child and adolescent mental health services (CAMHS) can have strong and effective relationships with local schools, these services are oriented towards meeting clinically-recognised needs. Some pupils with challenging problems that do not fit this profile may be ineligible for CAMHS services, which can create a problem for schools seeking specialist support for them.

For example, self-harm amongst students is a particularly stressful issue for teachers to manage (Berger et al., 2014a, Berger et al., 2014b). The prevalence of self-harm in young people is uncertain, partly because it can be a hidden problem, but also because of differences in how self-harm is defined. Behaviours that are a concern for teachers can include getting bodily piercings, poor eating habits, sexual activity, using mind-altering substances and having a general appetite for risk taking, but they are open to interpretation as a normal, even a healthy part of adolescent development (Claes, 2005). The immediate and long-term implications of self-harm are an anxiety-provoking and emotive topic for school staff, especially those who have pastoral responsibilities but limited specialist knowledge or training to draw on (Cunningham, 2014). Of course, there are many other worries and concerns to preoccupy young people. Therefore, the problem of how to help schools to support and promote pupils' emotional wellbeing remains important, and needs to be addressed.

Policy context

Between 2007 and 2014 most UK statutory children's services were located within a Department of 'Children, Schools and Families' consistent with the principles and values of Every Child Matters (ECM). ECM was an integrated government strategy from 2003 developed partly in response to the failure of

multiple agencies to prevent the death of Victoria Climbié in 2000. In the same spirit, the 2004 Children Act introduced legislative frameworks aimed at better coordination of children's services. In this context, schools were encouraged to achieve Healthy Schools Awards, which were based on success in four areas: Personal, Social and Health Education, Healthy Eating, Physical Activity and Emotional Health and Well-being. Thus, during this period there were strong incentives for schools to develop holistic, universal, whole school strategies for health promotion, and an appetite for supporting related research and innovation.

Universal interventions in schools are often classroom based but can also apply to the whole school community. However, strategies for preventing problems and promoting health and wellbeing can have an intrinsic disadvantage if their funding relies on evidence of effectiveness. Hence, when the independent social research agency Natcen reviewed the evidence around Healthy Schools, it was found that while schools themselves felt the initiative was helpful and relevant to their overall aims, the impact on individual pupils was difficult to measure (Natcen, 2011). This is not the kind of powerful evidence required to attract ongoing funding. To convince funding agencies that illness has been prevented, or general health has been enhanced, we often need large, longitudinal, population studies, which in themselves require substantial financial backing.

Targeted health and wellbeing interventions are an alternative. Compared to whole school interventions, interventions for specific groups with clearly identified problems can more easily demonstrate effectiveness- and thus may be more attractive to hard-pressed funders. Targeted interventions can be faithfully implemented without adaptations, and accurately measured. They have the advantage of directing resources towards a known issue, and arguably avoid allocating them where they may not be needed; but they also risk stigmatising recipients and excluding people whose needs do not meet predetermined criteria (Weare, 2010; 2013).

The strengths and limitations of universal vs targeted interventions are illustrated by the evolution of SEAL (Social and Emotional Aspects of Learning), the national UK programme to enhance emotional wellbeing in schools

(Lendrum and Humphrey, 2012). Initially universal and designed to be adapted by schools as required, SEAL also developed targeted interventions requiring close fidelity to a model, reflecting a recognition that it was necessary to generate hard evidence of effectiveness. These insights are now major considerations influencing intervention and programme design (Weare, 2010; Lendrum and Humphrey, 2012; Weare and Nind, 2011).

Following a change of government in 2010, the Department of Children, Schools and Families was dismantled and statutory children's services were delivered through separate government departments. Policy for the health and wellbeing of children and young people in school now sits with the Department for Education, and tends to favour targeted approaches. Current educational policy highlights school responsibilities towards groups rightly identified as vulnerable, including new statutory guidance on looked-after children, safeguarding children and young people, special educational / health needs and children with disabilities (Department for Education, 2015).

Therefore, irrespective of an individual teacher's skill set, there is an expectation of a skilled response when students talk to them about self-harm, substance abuse, exploitation, bullying, suicidality, symptoms of serious mental illness and other complex issues that could challenge mental health experts. Schools may have access to specialist advice from a school nurse skilled in mental health care, local children's services, or pastoral teams, but despite this, many school staff may feel under-equipped for this aspect of their role (Fitzgerald et al., 2011; Weare and Nind, 2011). A compounding issue for schools is the difficulty in accessing statutory support for pupils since local CAMHS may only accept referrals from schools if the pupil's presentation meets their referral criteria. A practical consequence of difficulties accessing statutory services is that a child, who needs a place of safety, may need to remain on school premises with a member of staff until late into the evening, if it takes that long for alternative arrangements to be worked out.

A way forward

Despite the challenges, there is an encouraging development in the form of Future in Mind (NHS England, 2015). This is a new government

document that sets out a positive vision for children's mental health services that are more person centred, more integrated with other agencies, are actively engaging with the voluntary sector, privilege young people's voices, and exploit the possibilities of digital resources. The CAMHS IAPT programme has helped to make psychological services more accessible to schools (Cooper, 2013) and includes cognitive behaviour therapy (CBT)-based interventions alongside other talking treatments. Future in Mind's emphasis on the potential of digital media to improve access to emotional and mental wellbeing support in the UK, reflects global interest in the possibilities (e.g. Mental Health Foundation of New Zealand, 2015). Guided self-help can be seen in 'Stressbusters', which delivers CBT via computer and is showing promising results for young people (Smith et al., 2015). In general terms, young people may respond better than adults to computerised cognitive behaviour therapy (cCBT) (Lovell, 2015).

Since the 2012 Health and Social Care Act, there has been increased involvement of the voluntary sector in providing children's and young people's mental health services, opening up new opportunities. In some localities this has made it possible for schools to enhance their pastoral support quite creatively through educational outreach from charities that have considerable expertise in child and adolescent mental health. New technologies make it possible to support young people via appointment reminders, apps that provide encouragement or reminders to take medication, safer online environment for chat and advice, and e-therapies (Li et al., 2013; Pinto et al., 2013; D'Auria, 2014; Chen and Zhu, 2015; Hampshire et al., 2015).

Mindfulness is another approach to promoting mental health that has gained traction in schools. The aim of mindfulness is to achieve mental focus, observing one's emotions and thoughts dispassionately; and it appears to have potential as an intervention for stress (Zenner et al., 2014). CBT-based mindfulness is recommended by NICE and it is currently being introduced into UK schools through the Mindfulness in Schools programme (Kuyken et al., 2013). Evaluation of the programme has shown good levels of acceptability and feasibility - so far so good.

In contrast with the internal processes that characterize mindfulness, activism and

citizenship have been proposed as an alternative perspective on how to promote mental wellbeing in young people. Positive for Youth (HM Government, 2013), is the Government's cross party youth strategy, and highlights that young people need to be supported so that they can take up responsible roles in society. The vision is of youth whose mental health is enhanced through the development of coping skills and mental resilience. The policy has been criticized for ignoring the impact of austerity on young people (Mason, 2015). Arguably, resilience, coping and mindfulness are inappropriate strategies if they encourage individuals to endure unhelpful or unfair conditions. A research team at the University of Brighton has developed a proactive concept of resilience that goes beyond mental coping, towards positive action (Hart et al., 2007). It involves trying to make practical changes, thus reducing the risk of encouraging young people to accept circumstances that are not acceptable.

We know that young people's mental health support needs are increasing, funding for services is uncertain at best, and schools are caught in the middle, trying to deliver high quality pastoral care with limited resources. Creative solutions are needed. It is sensible to view young people as the experts in their own experience (Noorani, 2013), and capable of being involved in designing their own support systems (Farrelly, 2014). Guided self-help is therefore relevant to the development of acceptable, feasible and effective strategies. Research and experience supports the development of effective interventions by increasing our knowledge and understanding about what works. The shape of emotional support in schools is evolving, and with our help, young people will benefit.

References

- Berger, E., Hasking, P. and Reupert, A. (2014a). We're Working in the Dark Here: Education Needs of Teachers and School Staff Regarding Student Self-Injury. *School Mental Health* 6(3): 201-212.
- Berger, E., Hasking, P. and Reupert, A. (2014b). Response and training needs of school staff towards student self-injury. *Teaching and Teacher Education* 44: 25-34.
- Chen, J. and Zhu, S. (2015). Online information searches and help seeking for mental health problems in urban China. *Administration and Policy in Mental Health and Mental Health Services Research*. Accessed 23rd November 2015. <http://link.springer.com/article/10.1007/s10488-015-0657-6>
- Claes, L., Vandereycken, W. and Vertommen, H. (2005). Self-care versus self-harm: Piercing, tattooing, and self-injuring in eating disorders. *European Eating Disorders Review*, vol. 13, no. 1, pp. 11-18.
- Cooper, M. (2013). School-Based Counselling In UK Secondary Schools: A Review and Critical Evaluation. Accessed 18th November 2015 <http://www.iapt.nhs.uk/silo/files/school-based-counselling-review.pdf>
- Cunningham, J. and Suldo, S. (2014). Accuracy of Teachers in Identifying Elementary School Students Who Report At-Risk Levels of Anxiety and Depression. *School Mental Health*, 6(4): 237-250.
- D'Auria, JP. (2014). Cyberbullying resources for youth and their families. *Journal of Pediatric Health Care*, 28(2): e19-e22.
- Department for Education. (2015). Schools: Statutory Guidance. Department for Education, Accessed 18th November 2015 <https://www.gov.uk/government/collections/statutory-guidance-schools>
- Farrelly, R. (2014). Co-production and quality outcomes. *British Journal of Nursing*, 23(13): 763-763.
- Fitzgerald, R., Graham, A., Maddison, C. and Phelps, R. (2011). Supporting children's mental health in schools: teacher views. *Teachers and Teaching*, 17(4): 479.
- Fox, CL., Corr, ML., Gadd, D. and Butler, I. (2014). Young teenagers' experiences of domestic abuse. *Journal of Youth Studies*, 17(4), 510-526.
- Green, H., McGinnity, A., Meltzer, H., Ford, T. and Goodman, R. (2005). *Mental health of children and young people in Great Britain, 2004*. Basingstoke, Palgrave MacMillan.
- Hampshire, K., Porter, G., Owusu, SA., Mariwah, S., Abane, A., Robson, E., Munthali, A., DeLannoy, A., Bango, A., Gunguluza, N. and Milner, J. (2015). Informal m-health: How are young people using mobile phones to bridge healthcare gaps in Sub-Saharan Africa? *Social Science & Medicine*, 142: 90-99.
- Hart, A., Blincow, D. and Thomas, H. (2007). *Resilient Therapy: Working with Children and Families*. London, Routledge
- H. M. Government. (2013). *Positive for Youth: progress since December 2011*. Cabinet Office and Department for Education. London, H.M. Government.
- Jones, AD., Gallagher, B., Manby, M., Robertson, O., Schutzwahl, M., Berman, AH., Hirschfield, A. Ayre, I., Urban, M. and Sharratt, K. (2013) *Children of Prisoners: Interventions and Mitigations to Strengthen Mental Health*, Huddersfield; University of Huddersfield.
- Kendal, S. (2011). Guided self-help: a feasible and acceptable way for schools to promote emotional wellbeing in students. *Education and Health*, 29(3): 51-52. Accessed 23rd November 2015 <http://sheu.org.uk/sites/sheu.org.uk/files/imagepicker/1/eh293sk.pdf>
- Kendal, S., Keeley, P. and Callery, P. (2014). Student help seeking from pastoral care in UK high schools: a qualitative study. *Child and Adolescent Mental Health*, 19(3): 178-184.
- Kuyken, W., Weare, K., Ukoumunne, OC., Vicary, R., Motton, N., Burnett, R., Cullen, C., Hennelly, S. and Huppert F. (2013). Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. *The British Journal of Psychiatry* 203(2): 126-131.
- Lendrum, A. and Humphrey, N. (2012). The importance of studying the implementation of interventions in school settings. *Oxford Review of Education*, 38(5), 635. doi:
- Li, TM., Chau, M., Wong, PW., Lai, ES. and Yip, PS. (2013). Evaluation of a Web-based social network electronic game in enhancing mental health literacy for young people. *J Med Internet Res*, 15(5): e80.
- Lovell, K. (2015). *Is cCBT doing it for the kids, but not the adults?* Accessed 18th Nov 2015 <http://www.nationalelfservice.net/treatment/cbt/is-cbdt-doing-it-for-the-kids-but-not-the-adults/>

Mason, W. (2015). Austerity youth policy: exploring the distinctions between youth work in principle and youth work in practice (Youth & Policy Special Edition: The Next Five Years: Prospects for young people). *Youth & Policy*, (114): 55-74.

Mental Health Foundation of New Zealand. (2015). *Apps, e-therapy & guided self-help*. Accessed 18 Nov 2015 <http://www.mentalhealth.org.nz/get-help/a-z/apps-e-therapy-and-guided-self-help/>

Merikangas, KR., He, JP., Burstein, M., Swanson, SA., Avenevoli, S., Cui, L., Benjet, C., Georgiades, K. and Swendsen, J. (2010). Lifetime Prevalence of Mental Disorders in US Adolescents: Results from the National Comorbidity Study-Adolescent Supplement (NCS-A). *J Am Acad Child Adolesc Psychiatry*, 49(10): 980–989.

Natcen. (2011). *Evaluation of the National Healthy Schools Programme : Final report*. Accessed 18th November 2015 <http://www.natcen.ac.uk/media/28170/evaluation-national-healthy-schools.pdf>

National Institute for Health and Clinical Excellence (NICE). (2009). *Social and emotional wellbeing in secondary education: NICE public health guidance 20*, National Institute for Health and Clinical Excellence.

NHS England. (2015). *Future in Mind: Promoting protecting and improving our children and young people's mental health and wellbeing*. Accessed 18th November 2015 https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/414024/Childrens_Mental_Health.pdf

Noorani, T. (2013). Service user involvement, authority and the 'expert-by-experience' in mental health. *Journal of Political Power*, 6(1): 49-68.

Pinto, MD., Hickman, RL., Clochesy, J. and Buchner, M. (2013). Avatar-Based Depression Self-Management Technology: Promising Approach to Improve Depressive Symptoms Among Young Adults. *Applied Nursing Research : ANR*, 26(1): 45-48.

Richards, M., Abbott, R., i.c. with Collis, G., Hackett, P., Hotopf, M., Kuh, D., Jones, P., Maughan, B. and Parsonage, M. (2009). *Childhood mental health and life chances in post-war Britain: Insights from three national birth cohort studies*, The Smith Institute Unison MRC Unit for Lifelong Health and Ageing Sainsbury Centre for Mental Health.

Smith, P., Scott, R., Eshkevari, E., Jatta, F., Leigh, E, Harris, V., Robinson, A., Abeles, P., Proudfoot, J., Verduyn, C. and Yule, W. (2015). Computerised CBT for depressed adolescents: Randomised controlled trial. *Behav Res Ther*, Oct;73:104-10.

Sousa, C., Herrenkohl, TI., Moylan, CA., Tajima, EA., Klika, JB., Herrenkohl, RC. and Russo, MJ. (2011). Longitudinal study on the effects of child abuse and children's exposure to domestic violence, parent-child attachments, and antisocial behavior in adolescence. *Journal of interpersonal violence*, 26(1): 111-136.

Weare, K. (2010). Mental Health and Social and Emotional Learning: Evidence, Principles, Tensions, Balances. *Advances in School Mental Health Promotion*, 3(1): 5.

Weare, K. (2013). Child and adolescent mental health in schools. *Child and Adolescent Mental Health*, 18(3): 129-130.

Weare, K. and Nind, M. (2011). Mental health promotion and problem prevention in schools: what does the evidence say? *Health Promotion International*, 26(suppl_1), i29-i69. doi: 10.1093/heapro/dar075

World Health Organization (WHO). (2015). *Adolescent Health*. Accessed 16th November 2015 http://www.who.int/topics/adolescent_health/en/

Zenner, C., Herrleben-Kurz, S. and Walach, H. (2014). Mindfulness-based interventions in schools—a systematic review and meta-analysis. *Frontiers in Psychology*, 5: 603.

SHEU

Schools and Students Health Education Unit

The specialist provider of reliable local survey data for schools and colleges and recognised nationally since 1977

"We use the data to inform whole school practise: Pastoral programmes for target groups of pupils; Items for discussion with School Council; Information to help us achieve the Healthy School gold standard; To develop and discuss with pupils our Anti-Bullying Policy; Targeted whole class sessions with the Police Community Support Officers; To share pupil perceptions of all aspects of their school life with parents, staff and governors." Learning Mentor

For more details please visit <http://sheu.org.uk>

TO SUPPORT YOUR WORK WITH YOUNG PEOPLE TRY SHEU'S FREE RESOURCES

Education and Health

The journal, published by SHEU since 1983, is aimed at those involved with education and health who are concerned with the health and wellbeing of young people. Readership is worldwide and in the UK include: primary; secondary and further education teachers; university staff and health-care professionals working in education and health settings. The journal is online and open access, continues the proud tradition of independent publishing and offers an eclectic mix of articles.

Contributors (see a recent list) - Do you have up to 3000 words about a relevant issue that you would like to see published? Please contact the Editor